#### INDEX TO VOLUME 80

The Index for Volume 80 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

#### SUBJECT INDEX

Abbas H. K. see Kommedahl et al. 790

Adaskaveg, J. E. and R. L. Gilbertson. Basidiospores, pilocystidia, and other basidiocarp characters in several species of the Ganoderma lucidum complex. 493-507

Adaskaveg, J. E., M. E. Stanghellini and R. L. Gilbertson. Comparative protein studies of several Pythium species using isoelectricfocusing. 665-672 Alfieri S. A. Jr. see El-Gholl et al. 769

Allen, E. A., P. V. Blenis and Y. Hiratsuka. Axenic culture of Endocronartium hacknessii. 120-123

Allen, M. F. and J. A. MacMahon? Direct VA mycorrhizal inoculation of colonizing plants by pocket gophers (Thomomys talpoides) on Mount St. Helens. 754-756

Alpine fungi 1-10

Alternative adaptations Gibberella zeae 679-683

Altomare C. see Logrieco et al. 892

Ambrosia fungi

Ambrodiscus 320-322

Ammirati J. F. see Rehner et al. 903

Amoeboflagellate stage ultrastructure of 525-534

An, Z.-Q. and J. W. Hendrix. Determining viability of endogonaceous spores with a vital stain. 259–261

Anaerobic growth
Zygomycetes 249-251

Anamorphic endophytes 291–296 Andary C. see Rapior et al. 741

Ando K. see Sugiyama et al. 115

Anikster, Y. Water potential as a regulating factor in teliospore germination of three rust fungi. 568-570

Anonymous. List of Cultures, 1988, Institute for Fermentation, Osaka, 8th Edition, Vol. 1; review 761 Antagonism

Trichoderma 795-802

Antifungal activity 31-37

———. Aquatic ascomycetes 31–37

Aquatic hyphomycetes 31-37

----. Arenicolous fungi 776-781

Arnott H. J. see Whitney and Arnott 707

Artificial infection

Atkinsonella and Balansia 291-296

Asbury C. E. see Lodge and Asbury 888

Ascus development

Neurospora crassa 825-830

Australia

soil fungi 815-823

Axenic cultivation

Didymium iridis 151-155

Bärlocher, F. and P. D. Premdas. Effects of pentachlorophenol on aquatic hyphomycetes. 135-137 Baroni, T. J. [Review of] Agaricales in modern taxonomy, 4th fully revised edition. 267-268

Baroni T. J. see Ovrebo and Baroni 508

Barr, M. E. Howard E. Bigelow, 1923–1987. 595–598 Basidiocarp morphology

Ganoderma 493-506

Basidiocarp development Clavicorona pyxidata 89-97

Basidiospore discharge

rust fungi 568-570

Basidiospores

development in Lactarius lignyotellus 99-106 freeze-substitution in Gymnosporangium 356-363

ultrstructure in Gymnosporangium juniperi- 356-363

Batra, L. R. Monilinia gaylussaciae, a new species pathogenic to huckleberries (Gaylussacia) in North America. 653-659

 Disjunctors in Monilinia (Discomycetidae: Sclerotiniaceae) and their significance in classification. 660-664

Benhamou, N. Ultrastructural localization of carbohydrates in the cell walls of two pathogenic fungi: a comparative study. 324-337

Benny G. L. see Kish et al. 312

Berbee, M. L. and K. Wells. Ultrastructural studies of mitosis and the septal pore apparatus in Tremella globospora. 479-492

Bigg W. L. see Samson and Bigg 131

Blaney, C. L., C. G. Van Dyke and L. F. Grand. Cercospora caricis from Cyperus esculentus (yellow nutsedge): morphology and cercosporin production. 418-421

Blenis P. V. see Allen et al. 120

Booth, T., S. Gorrie and T. M. Muhsin. Life strategies among fungal assemblages on Salicornia europaea aggregate. 176-191

Bostock R. M. see Doster and Bostock 77

Bottalico A. see Logrieco et al. 892

Boudier, E. Icones Mycologicae ou Iconographie des Champignons de France, Principalement Discomycetes; review 907-909

Bowers N. A. see Kish et al. 312

Braun K. L. see Keller et al. 536

Buben-Zurey M. J. see Keller et al. 536

Buck J. D. see Fell et al. 560

Burgess, L. W., P. E. Nelson, T. A. Toussoun and G. A. Forbes. Distribution of Fusarium species in sections Roseum, Arthrosporiella, Gibbosum and Discolor recovered from grassland, pasture and pine nursery soils of eastern Australia. 815–824

Burks J. N. see Sylvia and Burks 565

Burnes P. M. see Kommedahl et al. 790

Butler, E. E. [Review of] A Literature Guide for the Identification of Plant Pathogenic Fungi. 760

#### INDEX TO VOLUME 80

The Index for Volume 80 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

#### SUBJECT INDEX

Abbas H. K. see Kommedahl et al. 790

Adaskaveg, J. E. and R. L. Gilbertson. Basidiospores, pilocystidia, and other basidiocarp characters in several species of the Ganoderma lucidum complex. 493-507

Adaskaveg, J. E., M. E. Stanghellini and R. L. Gilbertson. Comparative protein studies of several Pythium species using isoelectricfocusing. 665-672 Alfieri S. A. Jr. see El-Gholl et al. 769

Allen, E. A., P. V. Blenis and Y. Hiratsuka. Axenic culture of Endocronartium hacknessii. 120-123

Allen, M. F. and J. A. MacMahon? Direct VA mycorrhizal inoculation of colonizing plants by pocket gophers (Thomomys talpoides) on Mount St. Helens. 754-756

Alpine fungi 1-10

Alternative adaptations Gibberella zeae 679-683

Altomare C. see Logrieco et al. 892

Ambrosia fungi

Ambrodiscus 320-322

Ammirati J. F. see Rehner et al. 903

Amoeboflagellate stage ultrastructure of 525-534

An, Z.-Q. and J. W. Hendrix. Determining viability of endogonaceous spores with a vital stain. 259–261

Anaerobic growth
Zygomycetes 249-251

Anamorphic endophytes 291–296 Andary C. see Rapior et al. 741

Ando K. see Sugiyama et al. 115

Anikster, Y. Water potential as a regulating factor in teliospore germination of three rust fungi. 568-570

Anonymous. List of Cultures, 1988, Institute for Fermentation, Osaka, 8th Edition, Vol. 1; review 761 Antagonism

Trichoderma 795-802

Antifungal activity 31-37

———. Aquatic ascomycetes 31–37

Aquatic hyphomycetes 31-37

----. Arenicolous fungi 776-781

Arnott H. J. see Whitney and Arnott 707

Artificial infection

Atkinsonella and Balansia 291-296

Asbury C. E. see Lodge and Asbury 888

Ascus development

Neurospora crassa 825-830

Australia

soil fungi 815-823

Axenic cultivation

Didymium iridis 151-155

Bärlocher, F. and P. D. Premdas. Effects of pentachlorophenol on aquatic hyphomycetes. 135-137 Baroni, T. J. [Review of] Agaricales in modern taxonomy, 4th fully revised edition. 267-268

Baroni T. J. see Ovrebo and Baroni 508

Barr, M. E. Howard E. Bigelow, 1923–1987. 595–598 Basidiocarp morphology

Ganoderma 493-506

Basidiocarp development Clavicorona pyxidata 89-97

Basidiospore discharge

rust fungi 568-570

Basidiospores

development in Lactarius lignyotellus 99-106 freeze-substitution in Gymnosporangium 356-363

ultrstructure in Gymnosporangium juniperi- 356-363

Batra, L. R. Monilinia gaylussaciae, a new species pathogenic to huckleberries (Gaylussacia) in North America. 653-659

 Disjunctors in Monilinia (Discomycetidae: Sclerotiniaceae) and their significance in classification. 660-664

Benhamou, N. Ultrastructural localization of carbohydrates in the cell walls of two pathogenic fungi: a comparative study. 324-337

Benny G. L. see Kish et al. 312

Berbee, M. L. and K. Wells. Ultrastructural studies of mitosis and the septal pore apparatus in Tremella globospora. 479-492

Bigg W. L. see Samson and Bigg 131

Blaney, C. L., C. G. Van Dyke and L. F. Grand. Cercospora caricis from Cyperus esculentus (yellow nutsedge): morphology and cercosporin production. 418-421

Blenis P. V. see Allen et al. 120

Booth, T., S. Gorrie and T. M. Muhsin. Life strategies among fungal assemblages on Salicornia europaea aggregate. 176-191

Bostock R. M. see Doster and Bostock 77

Bottalico A. see Logrieco et al. 892

Boudier, E. Icones Mycologicae ou Iconographie des Champignons de France, Principalement Discomycetes; review 907-909

Bowers N. A. see Kish et al. 312

Braun K. L. see Keller et al. 536

Buben-Zurey M. J. see Keller et al. 536

Buck J. D. see Fell et al. 560

Burgess, L. W., P. E. Nelson, T. A. Toussoun and G. A. Forbes. Distribution of Fusarium species in sections Roseum, Arthrosporiella, Gibbosum and Discolor recovered from grassland, pasture and pine nursery soils of eastern Australia. 815–824

Burks J. N. see Sylvia and Burks 565

Burnes P. M. see Kommedahl et al. 790

Butler, E. E. [Review of] A Literature Guide for the Identification of Plant Pathogenic Fungi. 760 Buurlage M. B. see Epstein and Buurlage 235

Achlya ambisexualis 783-788

regulation and toxicity of in Gilbertella persicaria 707-714

Calcium oxalate

Gilbertella persicaria 707-714

Carbohydrate nutrition Clavicorona pyxidata 89-97

Carbohydrates

Saprolegnia ferax 423-431

Carbohydrates in fungal walls 324-336

Carbon source utilization

Psiolithus tinctorius 855-858

Carotenoids

production of in fungi 673-677

Carpenter, S. E. Leotiales, a name to replace Helotiales (Ascomycotina). 127-130

. Ambrodiscus, a new genus of inoperculate discomycetes from ambrosia beetle galleries. 320-323

Carris, L. M. Chalara vaccinii sp. nov., a Vaccinium endophyte. 875-879

Caruso F. L. see Uecker and Caruso 344
Cavender, J. C., E. H. Newcomb and M. Christensen. Kenneth Bryan Raper, 1908-1987. 599-606 Cavernous fungi 646-651

Cell walls

hydrophobicity in Candida albicans 348-354

Cercosporin

Cercospora caricis 418-421 Chang S. T. see Chen et al. 849

Chemotaxonomy

Ustilaginales and Uredinales 115-119

Chen, K., P. Liang, M. Yu and S. T. Chang. A new double-stranded RNA virus from Volvariella volvacea, 849-853

Chlamydospores

Fusarium solani 885-887

Christensen M. see Cavender et al. 599

Clay K. see Leuchtmann and Clay 192

Cochrane, B. J. Vincent W. Cochrane, 1916-1987. 763-766

Collins, O. R. and Tang H.-C. Further studies on conversion from non-heterothallism to heterothallism in Stemonitis flavogenita (Myxomycetes, Stemonitales). 405-407

Collins O. R. see Silliker et al. 151

Competition

Trichoderma 795-802

Cook, R. J., G. A. Zentmyer and E. B. Cowling. Annual review of phytopathology, Volume 25; review 269

Cooper-Palomar, J. L. and M. J. Powell. Sites of calcium concentration during sexual reproduction of Achlya ambisexualis. 783-789

Corticolous myxomycetes 536-544

Cowling E. B. see Cook et al. 269, Cultural descriptions Scytinostroma 546-558

Cyanogenesis

Basidiomycetes 859-860

Cytochemistry

Alpova diplophloeus 576-580 Saprolegnia ferax 423-431

DNA homology

hyphomycetes 582-585

**DNA** hybridization

Fusarium sect. Liseola 255-258

Saccharomyces 241-243

**DNA** hybridizations Rhodosporidium 560-564

Dargent R. see Sancholle et al. 162

DeShazer D. A. see Wood et al. 252

Decay tests

Haematostereum sanguinolentum 124-126

Decomposition

freshwater fungi 365-373

Denison, W. C. Culturing the lichens Lobaria oregana and L. pulmonaria on nylon monofilament. 811-814

Dimorphism

Aureobasidium 376-380

Disjunctors

Monilinia 660-664

Dissing, H. and S. Sivertsen. Lathraeodiscus arcticus gen. nov. sp. nov. (order Pezizales), a new discomycete from North Greenland and Svalbard. 832-836

Doster, M. A. and R. M. Bostock. The effect of temperature and type of medium on oospore production by Phytophthora syringae. 77-81

Ebinger J. E. see Estes et al. 859

Ecology

Trichoderma on spruce litter 795-802

arctic Fusarium species 790-794

cavernous fungi 646-651

fungi in sand dunes 211-215 fungi on Salicornia 176-188

leaf inhibiting Basidiomycetes 888-890

phyllosphere mycoflora 200-210

vesicular-arbuscular mycorrhizae 433-440, 754-756 Ectomycorrhiza

characterization of in Fuscoboletinus and Suillus 382-391

El-Ani, A. S. The Chlamydospore in Fusarium solani. 885-887

El-Gholl, N. E., S. A. Alfieri, Jr., T. S. Schubert and C. L. Schoulties. Pseudocercospora feijoae sp. nov. causing a leaf spot disease on Feijoa sellowiana in Florida. 769-775

Electrical resistance

Haematostereum sanguinolentum 124-126

Electrophoretic taxonomy

Pythium 665-671

Eliasson U. H. see Keller et al. 536

Ellis, J. J. Section Liseola of Fusarium. 255-258

. Lesser known species in section Liseola of Fusarium and near relatives in the Fusarium oxysporum group, 734-738

Endophytes 192-198

Epichloe and Acremonium 442-445

. Epiphyllous mycoflora 14-22

**Epiphytes** 

Atkinsonella hypoxylon and Balausia cyperi 192-

Epstein, L. and M. B. Buurlage. Nuclear division in germinating aeciospores and its taxonomic significance for the western gall rust fungus, Perider-mium harknessii. 235-240

effect of Basidiomycetes on 888-890

Estes, W. R. IV, J. E. Ebinger, W. C. Whiteside and A. S. Methven. Reports of cyanogenesis in selected basidiomycetes. 859-860

Eveleigh D. E. see Gottlund and Eveleigh 767

Extracellular enzymes

freshwater fungi 365-373 Förster, H., T. G. Kinscherf, S. A. Leong and D. P. Maxwell. Estimation of relatedness between Phytophthora species by analysis of mitochondrial DNA. 466-478

Fatty acids

Endogone pisiformis 54-61

vesicular-arbuscular mycorrhizae 622-629

Federici F. see Petruccioli et al. 726

Feldman J. see Spiegel and Feldman 525

Fell, J. W., C. P. Kurtzman, A. S. Tallman and J. D. Buck. Rhodosporidium fluviale sp. nov., a homokaryotic red yeast from a subtropical brackish environment. 560-564

Figueras, M. J. and J. Guarro. A scanning electron microscopic study of ascoma development in Chaetomium malaysiense, 298-306

vesicular-arbuscular mycorrhizae 433-440

Flagellar apparatus

ultrastructer of in Semimorula liquescens 630-635 Flegler S. L. see Klomparens et al. 268, Fletcher, M., T. R. G. Gray and J. G. Jones. Ecology of microbial communities; review 269-270

Forbes G. A. see Burgess et al. 815

Fortin J. A. see Samson and Fortin 382

Fossil fungi 14-22

French, R. C. Vacuole induction by nicotine in teliospores of Uromyces vignae, Puccinia punctiformis, and Puccinia helianthi. 455-459

Fuller, M. S. and R. W. Roberson. The effects of sterol biosynthesis inhibitors on cleavage in Allomyces macrogynus. 716-724

- Fungal ecology 31-37

Fungal walls

composition in Ophiostoma and Verticillium 324-336

**Fungicides** 

effect on Allomyces macrogynus 716-723

Fungus-insect interactions

Ambrodiscus 320-322

Gardner, D. E. Teliospore germination of Puccinia vitata, an endemic Hawaiian rust. 590-593 Revisions to endemic Hawaiian rusts. 747-

Gardner, D. E. and C. S., Hodges, Jr. Hawaiian forest fungi. IX. Botryosphaeria pipturi sp. nov. and miscellaneous records. 460-465

Gemma, J. N. and R. E. Koske. Seasonal variation in spore abundance and dormancy of Gigaspora gigantea and in mycorrhizal inoculum potential of a dune soil. 211-216

Geographical distribution Ganoderma 493-506

Gibson, D. J. and B. A. Daniels Hetrick. Topographic

and fire effects on the composition and abundance of VA-mycorrhizal fungi in tallgrass prairie. 433-441

Gilbertson R. L. see Adaskaveg and Gilbertson 493

—. see Adaskaveg et al. 665

Ginns, J. New genera and species of lignicolous Aphyllophorales. 63-71

Typification of Cordyceps canadensis and C. capitata, and a new species, C. longisegmentis. 217-222

-. Irene Mounce, 1894-1987. 607-608

Glawe, D. A. and K. A. Jacobs. Evolutionary aspects of ascospore and conidium ontogeny in Scoleconectria cucurbitula. 636-645

Glawe D. A. see Headrick et al. 679

-. see Jacobs et al. 307

Gleason, F. H. and G. L. R. Gordon. Techniques for anaerobic growth of zygomycetes. 249-252 Glycerol

growth on by Cladosporium cladosporioides 732-734

Gong T. see Silliker et al. 151

Goos R. D. see Rao et al. 896

Gordon A. S. see Kirk and Gordon 776

Gordon G. L. R. see Gleason and Gordon 249

Gorrie S. see Booth et al. 176

Gottlund, K. and D. E. Eveleigh, Bland Symington Montenecourt, 1942-1987. 767-768

Grand L. F. see Blaney et al. 418 Gray J. see Sherwood-Pike and Gray 14

Gray L. E. see Jacobs et al. 307 Gray T. R. G. see Fletcher et al. 269

Guarro J. see Figueras and Guarro 298

Guillemette, M. K. Tilletia togwatii, a new bunt species from Poa reflexa. 273-285

Guzman G. see Methven and Guzman 866

Hanlin, R. T. and H. B., Howe, Jr. Kenneth E. Papa, 1931-1986. 609-611

Harding H. see Tinline and Harding 863 Harman G. E. see Stasz et al. 870

Hartman, G. L. and J. B. Sinclair. Dactuliochaeta, a new genus for the fungus causing red leaf blotch of soybeans. 696-706

Haskins, E. F. Miss Gulielma Lister's observations on the myxomycete Echinostelium minutum. 853-855

Haskins, E. F. and M. D. McGuinness. Ultrastructure of the flagellar apparatus of the slime mold Semimorula liquescens, 630-635

Hawaiian fungi 460-464

Hazen, B. W., R. E. Liebert and K. C. Hazen. Relationship of cell surface hydrophobicity to morphology of monomorphic and dimorphic fungi. 348-355

Hazen K. C. see Hazen et al. 348

Headrick, J. M., D. A. Glawe and J. K. Pataky. Ascospore polymorphism in Gibberella zeae. 679-684 Hendrix J. W. see An and Hendrix 259

Herbicides

effect on fungi 673-677

Heterochrony

Scoleconectria cucurbitula 636-644

Heterothallism

Stemonitis flavogenita 405-406

Hetrick B. A. Daniels see Gibson and Hetrick 433 see Wilson et al. 338

Hiratsuka Y. see Allen et al. 120

Hocking, A. D. and J. I. Pitt. Two new species of xerophilic fungi and a further record of Eurotium halophilicum. 82-88

Hodges C. S., Jr. see Gardner and Hodges 460

Hooper G. R. see Klomparens et al. 268

Host relationships Ganoderma 493-506

Howe H. B., Jr. see Hanlin and Howe 609

Hughes, G. C. [Review of] Annual review of phyto-pathology, Volume 25, 269

. [Review of] Ecology of microbial communities. 269-270

-. [Review of] Matshushima Mycological Memoirs No. 5, 761

[Review of] List of Cultures, 1988, Institute for Fermentation, Osaka, 8th Edition, Vol. 1. 761 [Review of] The plant book. 269

Hutchison, L. J. Notes on Limacella illinita in pure culture. 111-114

Hydrocarbon degradation

by filamentous marine fungi 776-781

Hydrolytic enzymes

freshwater fungi 365-373

Hyphal decay

Ganoderma applanatum 447-453

Hyphal interactions 31-37

Hypogeous fungi

alpine 1-10

Infectivity effectiveness in vesicular-arbuscular 565-567

Isozymes

Agaricus systematics 689-695

Trichoderma and Gliocladium 870-874

Trichoderma harzianum 141-149

Itoh M. see Sugiyama et al. 115

Jabaji-Hare, S., M. F. Tremblay and S. Parent. Changes in the concentrations of total fatty acids, soluble proteins, nitrogen and phosphatase activities in mycelia of Endogone pisiformis (Endogonaceae) during growth. 54-62

Jabaji Hare, S. Lipid and fatty acid profiles of some vesicular-arbuscular mycorrhizal fungi: contribu-

tion to taxonomy. 622-629

Jacobs, K. A., D. A. Glawe and L. E. Gray. Conidial nuclei in three species of Diatrypaceae and Dia-porthe vaccinii. 307-311

Jacobs K. A. see Glawe and Jacobs 636

James, S. W. and D. J. McLaughlin. The influence of carbohydrate source and concentration and light on fruitbody development in Clavicorona pyxidata. 89-98

Jarvis W. R. see Traquair et al. 244

Jones J. G. see Fletcher et al. 269

Kakishima, M., P. Lohsomboon, Y. Ono, L. Manoch and N. Visarathanonth. Newinia thaiana, a new rust fungus from Thailand. 397-400

Kakishima M. see Ono et al. 261 -, see Sugiyama et al. 115

Katayama Y. see Sugiyama et al. 115

Keller, H. W., U. H. Eliasson, K. L. Braun and M. J. Buben-Zurey. Corticolous myxomycetes X: Ultrastructure and taxonomic status of Cribraria minutissima and C. confusa. 536-545

Kerrigan, R. W. and I. K. Ross. Extracellular laccases: biochemical markers for Agaricus systematics.

689-695

Key Marasmiellus paspali 289

Meripilus 619

Paratrichophaea 516 Persiciospora 414-415

Kimbrough J. W. see Kish et al. 312

Kinscherf T. G. see Förster et al. 466

Kirk, P. W. and A. S. Gordon. Hydrocarbon degradation by filamentous marine higher fungi. 776-782

Kish, L. P., N. A. Bowers, G. L. Benny and J. W. Kimbrough. Cytological Development of Ascosphaera atra. 312-319

Kitt D. Gerschefske see Wilson et al. 338 Kleven, N. L. and D. J. McLaughlin. Sporulation of the basidiomycete Pachnocybe ferruginea in terrestrial and aquatic environments.804-810

Klich M. A. see Mullaney and Klich 582

Klomparens, K. L., S. L. Flegler and G. R. Hooper. Procedures for transmission and scanning electron microscopy for biological and medical science, 2nd edition; review 268

Klotz, L. V., P. E. Nelson and T. A. Toussoun. A medium for enhancement of chamydospore formation in Fusarium species. 108-109

Koehn R. D. see Kuehn and Koehn 646

Kommedahl, T., H. K. Abbas, P. M. Burnes and C. J. Mirocha. Prevalence and toxigenicity of Fusarium species from soils of Norway near the Arctic Circle. 790-794

Koo C. D. see Miller et al. 576

Koske R. E. see Gemma and Koske 211

see Morton and Koske 520

Krug, J. C. A new species of Persiciospora from African soil. 414-417

Kuehn, K. A. and R. D. Koehn. A mycofloral survey of an artesian community within the Edwards Aquifer of central Texas. 646-652

Kulifaj M. see Sancholle et al. 900 Kuraishi H. see Sugiyama et al. 115

Kurtzman C. P. see Fell et al. 560

-. see Martini and Kurtzman 241

Laccase

Agaricus 689-695

Largent D. L. see Wood et al. 252

Larsen, M. J. and F. F. Lombard. Studies in the genus Phellinus. I. The identity of Phellinus rickii with notes on its facultative synonyms. 72-76

-. The status of Meripilus giganteus (Aphyllophorales, Polyporaceae) in North America. 612-

Latterell F. M. see Redhead and Latterell 286

Leelavathy K. M. see Manimohan and Leelavathy 861 Lehnen, L. P.,, Jr. and M. J. Powell. Cytochemical localization of carbohydrates in zoospores of Saprolegnia ferax. 423-432

Leong S. A. see Förster et al. 466

Leuchtmann, A. and K. Clay. Atkinsonella hypoxylon and Balansia cyperi, epiphytic members of the Balansiae, 192-19

Experimental infection of host grasses and sedges with Atkinsonella hypoxylon and Balansia cyperi (Balansiae, Clavicipitaceae). 291-297

Liang P. see Chen et al. 849

Lichen growth 811-814

Lichtwardt, R. W. and M. C. Williams. Discovery of sexual reproduction in an unusual new species of Stachylina (Trichomycetes). 400-405

Liebert R. E. see Hazen et al. 348

Lignicolous fungi 365-373 Lilly W. W. see May and Lilly 247 Lim G. see Louis and Lim 157

Lipids

Tuber melanosporum during development 900-902 vesicular-arbuscular mycorrhizae 622-629

Lister's observations on myxomycetes 853-855 Lodge, D. J. and C. E. Asbury. Basidiomycetes reduce export of organic matter from forest slopes. 888-

Logrieco, A., A. Bottalico and C. Altomare. Chemotaxonomic observations on zearalenone and trichothecene production by Gibberella zeae from

cereals in southern Italy. 892-895 Lohsomboon P. see Kakishima et al. 397

see Ono et al. 261

Lombard F. F. see Larsen and Lombard 612

Louis, I. Ecto- and ectendomycorrhizae in the tropical dipterocarp, Shorea parvifolia. 845-849 Louis, I. and G. Lim. Effect of storage of inoculum on

spore germination of a tropical isolate of Glomus clarum. 157-161

Lubben A. see Marasas et al. 263

Mabberley, D. J. The plant book; review 269

MacMahon J. A. see Allen and MacMahon 754 Maiello, J. M. Acervulus initiation in Colletotrichum

capsici. 410-413 Manimohan, P. and K. M. Leelavathy. Mycena indica, a new species from southern India. 861-862

Manoch L. see Kakishima et al. 397

see Ono et al. 261

Manoharachary C. see Rao et al. 896 Marasas, W. F. O., P. E. Nelson and T. A. Toussoun. Reclassification of two important moniliforminproducing strains of Fusarium, NRRL 6022 and NRRL 6322. 407-410

Marasas, W. F. O., C. J. Rabie, A. Lubben, P. E. Nelson, T. A. Toussoun and P. S. van Wyk. Fusarium nygamai from millet in southernAfrica. 263-266

Marasas W. F. O. see Wingfield et al. 23

Martini, A. V. and C. P. Kurtzman. Deoxyribonucleic acid relatedness among species of Saccharomyces sensu lato. 241-243

Mating types

Mucor piriformis 837-843

Matsushima, T. Matshushima Mycological Memoirs No. 5; review 761

Maxwell D. P. see Förster et al. 466

May, G. D. and W. W. Lilly. A rapid method for extraction of membrane-plate grown fungal cultures. 247-249

McGuinness M. D. see Haskins and McGuinness 630

McLaughlin D. J. see James and McLaughlin 89 see Kleven and McLaughlin 804

Metflurazon

effect on fungi 673-677

Methven, A. S. and G. Guzman. Notes on Clavariadelphus II. Clavariadelphus fasciculatus sp. nov. from Mexico. 866-869

Methven A. S. see Estes et al. 859

Meyers, A. J., Jr. Contamination of aqueous glycerol solution by Cladosporium cladosporioides. 732-

Micales J. A. see Nakasone and Micales 546

Michailides, T. J. and R. A. Spotts. Germination of Zygospores of Mucor piriformis (on the life history of Mucor piriformis). 837-844

Miller K. S. see Sancholle et al. 162

Miller M. W. see Petruccioli et al. 726

Miller, S. L. Early basidiospore formation in Lactarius lignyotellus. 99-107

Miller, S. L., C. D. Koo and R. Molina. An oxidative blue-bruising reaction in Alpova diplophloeus (Basidiomycetes, Rhizopogonaceae) + Alnus rubra ectomycorrhizae. 576-581

Mims, C. W. [Review of] Procedures for transmission and scanning electron microscopy for biological

and medical science, 2nd edition. 268
Mims, C. W., E. A. Richardson and J. Taylor. Specimen orientation for transmission electron microscopic studies of fungal germ tubes and appressoria on artificial membranes and leaf surfaces. 586-590

Mims, C. W., R. W. Roberson and E. A. Richardson. Ultrastructure of freeze-substituted and chemically fixed basidiospores of Gymnosporangium juniperi-virginianae. 356-364

Mirocha C. J. see Kommedahl et al. 790

Mitosis

Tremella globospora 479-492

Molina R. see Miller et al. 576 l'Iontant C. see Sancholle et al. 900

Morikawa C. see Saikawa et al. 880 Morton, J. B. and R. E. Koske. Scutellospora dipurpurescens, a new species in the Endogonaceae from West Virginia. 520-524

Mueller G. J. see Rehner et al. 903 Muhsin T. M. see Booth et al. 176

Mullaney, E. J. and M. A. Klich. Representative hyphomycetes have regions of DNA homologous to Aspergillus nidulans developmental genes. 582-585

Mycelial extraction 247-248

Mycorrhizae

Alpova diplophloeus, 576-581 Shorea 845-848

alpine 1-10

Mycorrhizal growth suppression of 338-342

Mycotoxicology

Fusarium species 790-794

Mycotoxins

Gibberella zeae 892-894

Myxomycete-like protostelids

ultrastructure of 525-534

Nakasone, K. K. and J. A. Micales. Scytinostroma gal-

actinum species complex in the United States. 546-

Nelson P. E. see Burgess et al. 815 -. see Klotz et al. 108

Nelson P. E. see Marasas et al. 407

Neotropical fungi boletes 46-52

Newcomb E. H. see Cavender et al. 599

Nicotine

effect on telispores of Uromyces and Puccinia 455-459

Nitrogen content

Endogone pisiformis 54-61

Obituary

Bigelow H. E. 594-598

Cochrane V. W. 763-766 Montenecourt Bland Symington 767-768

Mounce I. 607-608 Papa K. E. 609-611 Raper K. B. 599-606

Wasson R. G. 11-13

Odor

Hydnellum suaveolens 252-255

Ono, Y., M. Kakishima, P. Lohsomboon, L. Manoch and N. Visarathnonth. Two new species of Uredinales from Thailand, 261-263

Ono Y. see Kakishima et al. 397

Ontogeny

Ascosphaera atra 312-319

Chaetomium malaysiense 298-311 Colletotrichum capsici 410-413

Oospore production

Phytophthora syringae 77-80 Ovrebo, C. L. and T. J. Baroni. Three new species of Rhodocybe from Costa Rica. 508-514

Paleoecology 14-22

Palm M. E. see Rossman et al. 760 Parent S. see Jabaji-Hare et al. 54 Pataky J. K. see Headrick et al. 679

Peck, C. H. Annual reports of the state botanist, 1868-1912; review 268-269

Pentachlorophenol

effect on aquatic hyphomycetes 135-136

Petersen, R. H. Contribution toward a monograph of Ramaria. VII. New taxa and miscellany. 223-234 . [Review of] Annual reports of the state bota-

nist, 1868-1912. 268-269

. Notes on clavarioid fungi. XXII. Three interesting South American collections. 571-576

Petruccioli, M., F. Federici and M. W. Miller. Extracellular enzyme production in species of the genus Penicillium. 726-728

Pfister, D. H. R. Gordon Wasson 1898-1986. 11-13 . Paratrichophaea (Pezizales) in North America. 515-519

. [Review of] Icones Mycologicae ou Iconographie des Champignons de France, Principalement Discomycetes. 907-909

Phosphatase

Endogone pisiformis 54-61 Phyllosphere mycoflora 200-210

Alpova diplophloeus 576-580 Pitt J. I. see Hocking and Pitt 82 Plant growth

Atkinsonella and Balansia 291-296

Plant succession 6-7

Pohlad, B. R. Rhombostilbella parasitizing Chaetothyriaceae and Capnodiaceae. 757-759

Portrait

Bigelow H. E. 594

Cochrane V. W. 762

Montenecourt Bland Symington 768

Mounce I. 607 Papa K. E. 610 Raper K. B. 600 Trappe J. M. 1 Wasson R. G. 11

Powell M. J. see Cooper-Palomar and Powell 783

-, see Lehnen and Powell 423 see Vincent and Powell 673

Premdas P. D. see Bärlocher and Premdas 135

Privat G. see Rapior et al. 741

Propiconazole effect on Taphrina deformans 162-174

Protein content

Endogone pisiformis 54-61

Proteins

Pythium 665-671

Protoplast fusion

Trichoderma harzianum 141-149

Pyrenomycetes evolution 307-310 Gibberella zeae 679-683

Scoleconectria cucurbitula 636-644

Rabie C. J. see Marasas et al. 263

Raju, N. B. Nonlinear asci without apical pores in the peak mutant of Neurospora. 825-831

Rao, N. K., C. Manoharachary and R. D. Goos. Forest litter hyphomycetes from Andhra Pradesh, India. III. A new synnematous hyphomycete. 896-899

Rapior, S., C. Andary and G. Privat. Chemotaxonomic study of orellanine in species of Cortinarius and Dermocybe, 741-747

Rebar C. see Wicklow and Rebar 750

Redhead, S. A. and F. M. Latterell. Marasmiellus paspali var. americanus, the causal agent of "borde blanco" disease of maize in Latin America. 286-290

Rehner, S. A., J. F. Ammirati and G. J. Mueller. Cortinarius stuntzii sp. nov. (Agaricales, Cortinariaceae), from Salix communities in eastern Washington. 903-906

Restriction fragment length polymorphisms in Phytophthora 466-477

Richardson E. A. see Mims et al. 586

Roberson R. W. see Fuller and Roberson 716

-. see Mims et al. 356

Rogers, J. D. and G. J. Samuels. Apiocamarops cryptocellula, a new species from Guyana. 738-741

Root rot fungi Meripilus 612-620

Ross I. K. see Kerrigan and Ross 689

Ross W. D. see Trione and Ross 38 Rossman, A. Y., M. E. Palm and L. Spielman. A Literature Guide for the Identification of Plant Pathogenic Fungi; review 760

Rotifers

capture by Acaulopage pectospora 880–884 Rushing A. E. see Sancholle et al. 162 Saikawa, M., K. Yamaguchi and C. Morikawa. Capture of rotifers by Acaulopage pectospora, and further evidence of its similarity to Zoophagus insidians. 880-884

Samson, J. and J. A. Fortin, Structural characterization of Fuscoboletinus and Suillus ectomycorrhizae

synthesized on Larix Iaricina. 382-392 Samson, R. A. and W. L. Bigg. A new species of Mariannaea from California. 131-134

Samson R. A. see Vincent et al. 685

Samuels G. J. see Rogers and Samuels 738 Sancholle, M., R. Dargent, J. D. Weete, A. E. Rushing and K. S. Miller. Effects of triazoles on fungi. V ultrastructure of Taphrina deformans. 162-175

Sancholle, M., J. D. Weete, M. Kulifaj and C. Montant. Changes in lipid composition during ascocarp development of the truffle, Tuber melanosporum. 900-903

Scattolin V. see Widden and Scattolin 795

Schoulties C. L. see El-Gholl et al. 769

Schubert T. S. see El-Gholl et al. 769

Sectioning technique

for ultrastructure of germ tubes and appressoria 586-590

Seed caches of kangaroo rat fungi associated with 750-753

Seifert K. A. see Vincent et al. 685

Septal pores

Tremella globospora

Setliff, E. C. Hyphal deterioration in Ganoderma ap-

planatum. 447-454 Seymour, R. L. Leptolegnia ornata: A superfluous name for the mosquito pathogen Leptolegnia chapmanii. 891

Shain, L. Evidence for formae speciales in the poplar leaf rust fungus, Melampsora medusae. 729-732

Shaw L. A. see Traquair et al. 244

Shearer, C. A. and H. Zare-Maivan. In vitro hyphal interactions among wood- and leaf-inhabiting ascomycetes and fungi imperfecti from freshwater habitats. 31-37

Shearer C. A. see Zare-Maivan and Shearer 365 Sherwood-Pike, M. and J. Grav. Fossil leaf-inhabiting fungi from northern Idaho and their ecological significance. 14-22

Shortle W. C. see Smith and Shortle 124

Sibling species

Scytinostroma 546-558

Silliker, M. E., T. Gong and O. R. Collins. Spore-tospore cultivation of Didymium iridis on heat-killed bacteria. 151-156

Sinclair J. B. see Hartman and Sinclair 696

Singer, R. Agaricales in modern taxonomy, 4th fully revised edition; review 267-268

Singer R. see Wolfe et al. 46

Sivertsen S. see Dissing and Sivertsen 832 Smith, K. T. and W. C. Shortle. Electrical resistance and wood decay by white rot fungi. 124-126 Soil fungi

Fusarium in Australia 815-823

Soil organic matter

retention by Basidiomycetes 888-890

South American clavarioid fungi 571-576

Gibberella zeae 679-683

Spiegel, F. W. and J. Feldman. The trophic cells of Clastostelium recurvatum, a third member of the myxomycete-like protostelids, 525-535

Spielman L. see Rossman et al. 760, Spore dispersal Pachnocybe ferruginea 804-809

Spore dormancy

Gigaspora gigantea 211-215 Spore isolation

Glomus moseae 109-110

Sporulation

Hymenochaete 393-396

Spotts R. A. see Michailides and Spotts 837 Stanghellini M. E. see Adaskaveg et al. 665

Stasz, T. E., G. E. Harman and N. F. Weeden. Protoplast preparation and fusion in two biocontrol strains of Trichoderma harzianum. 141-150

Stasz, T. E., N. F. Weeden and G. E. Harman. Methods of isozyme electrophoresis for Trichoderma and Gliocladium species, 870-874

Sterol biosynthesis inhibitor

Taphrina deformans 162-174

Sterol inhibitors

effect on Allomyces macrogynus 716-723

Tuber melanosporum during development 900-902 Sugiyama, J., M. Itoh, Y. Katayama, Y. Yamaoka, K. Ando, M. Kakishima and H. Kuraishi. . 115-120

Sylvia, D. M. and J. N. Burks, Selection of a vesiculararbuscular mycorrhizal fungus for practical inoculation of Uniola paniculata. 565-568

Taber R. A. see Taber and Taber 855

Taber, W. A. and R. A. Taber. Reassessment of fungal dry weight as a measure of carbon source utilization by Pisolithus tinctorius.855-858

Tallgrass prairie

vesicular-arbuscular mycorrhizae in 433-440

Tallman A. S. see Fell et al. 560

Tang H.-C. see Collins and Tang 405

Taylor J. see Mims et al. 586

Teliospore

Uromyces and Puccinia 455-459

Teleospore germination inhibition in Tilletia 38-44

Puccinia vitata 590-593 Tinline, R. D. and H. Harding. Inheritance of some genetic markers in Cochliobolus sativus. 863-865

Torzilli A. P. see Vinroot and Torzilli 376 Toussoun T. A. see Burgess et al. 815

- see Klotz et al. 108

Toussoun T. A. see Marasas et al. 407

Trappe, J. M. Lessons from Alpine fungi. 1-10 Traquair, J. A., L. A. Shaw and W. R. Jarvis. Stephanoascus farinosus, teleomorph of Sporothrix

fungorum. 244-246

Tremblay M. F. see Jabaji-Hare et al. 54 Trione, E. J. and W. D. Ross. Lipids as bioregulators of teliospore germination and sporidial formation in the wheat bunt fungi, Tilletia species. 38-45

Tropical fungi Rhodocybe 508-514 Uecker, F. A. and F. L. Caruso. Synchronoblastia crypta, a new coelomycetous pathogen of upright stems and fruits of cranberry. 344-347

Vacuoles

telispores of Uromyces and Puccinia 455-459 Van Dyke C. G. see Blaney et al. 418

Van Dyke C. G. see Blaney et al. 418 Van Wyk P. S. see Wingfield et al. 23

Vardavakis, E. Seasonal fluctuation of non-parasitic mycoflora associated with living leaves of Cistus incanus, Arbutus unedo and Quercus coccifera. 200-210

Verkade, S. D. Use of colloidal silica solution in the isolation of spores of Glomus mosseae. 109-110

Vesicular-arbuscular mycorrhizae

Gigaspora gigantea 211–215

Scutellospora dipurpurescens 520-524

lipids and fatty acids 622-629 relation to 754-756

spore germination in Glomus 157-160

tall grass prairie 433-440

taxonomy using fatty acids and lipids 622-629

Vincent, M. A. and M. J. Powell. Effects of the pyridazinone herbicide Sandoz 6707 (metflurazon) on

pigmentation of fungi. 673-678

Vincent, M. A., K. A. Seifert and R. A. Samson. Akanthomyces johnsonii, a saprophytic synnematous hyphomycete. 685-688

Vinroot, S. and A. P. Torzilli. Interactive effects of inoculum density, agitation, and pH on dimorphism in a salt marsh isolate of Aureobasidium pullulans. 376–381

Virus

Volvariella volvacea 849-852

Visarathanonth N. see Kakishima et al. 397

Visarathnonth N. see Ono et al. 261

Vital stains

endogonaceous spores 259-260

Volatile compounds

Hydnellum suaveolens 252-255

Walsh R. see Wolfe et al. 46

Watanabe, T. Sporulation in agar culture of one isolate of Hymenochaete from a declining Paulownia tree in Paraguay. 393–397

Weeden N. F. see Stasz et al. 870

Weete J. D. see Sancholle et al. 900

Wells K. see Berbee and Wells 479

White, J. F., Jr. Endophyte-host associations in forage grasses. XI. A proposal concerning origin and evolution. 442–446

White rot

Haematostereum sanguinolentum 124-126

Whiteside W. C. see Estes et al. 859

Whitney, K. D. and H. J. Arnott. The effect of calcium on mycelial growth and calcium oxalate crystal formation in Gilbertella persicaria (Mucorales). 707-715

Wicklow, D. T. and C. Rebar. Mold inoculum from cheek pouches of a granivorous desert rodent, Dipodomys spectabilis. 750-753

Widden, P. and V. Scattolin. Competitive interactions and ecological strategies of Trichoderma species colonizing spruce litter. 795-803

Williams M. C. see Lichtwardt and Williams 400
Wilson, G. W. T., B. A. Daniels Hetrick and D. Gerschefske Kitt. Suppression of mycorrhizal growth response of big bluestem by non-sterile soil. 338–343

Wingfield, M. J., P. S. Van Wyk and W. F. O. Marasas. Ceratocystiopsis proteae sp. nov., with a new an-

amorph genus. 23-30

Wolfe, C. B., Jr., R. Singer and R. Walsh. Notes on neotropical Austroboletus species. 46-53

Wood, W. F., D. A. DeShazer and D. L. Largent. The identity and metabolic fate of volatiles responsible for the odor of Hydnellum suaveolens. 252-255

Wood decomposition Ambrodiscus 320–322

Wyk P. S. van see Marasas et al. 263

Xerophilic fungi 82-87

Yamaguchi K. see Saikawa et al. 880

Yamaoka Y. see Sugiyama et al. 115

Yu M. see Chen et al. 849

Zare-Maivan, H. and C. A. Shearer. Extracellular enzyme production and cell wall degradation by freshwater lignicolous fungi. 365-375

Zare-Maivan H. see Shearer and Zare-Maivan 31

Zentmyer G. A. see Cook et al. 269

Zoospore cleavage

Allomyces macrogynus 716-723

Zygospores

germination in Mucor piriformis 837-843

#### FUNGOUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

Acaulopage 880 pectospora 880-84, 881-882f Acaulospora dilatata 524 lacunosa 524 laevis 61, 622, 628 longula 435, 437-438 rugosa 521, 524 Achlya 787-788 ambisexualis 476, 783-788, 785-786f heterosexualis 476 sp. 648-650 Acremonium 176, 197, 291, 416-417 apii 193 breve 180-182 charticola 178-182 pteridii 180-182 rulilum 176 sect. Albo-lanosa 442 sp. 193 strictum 176, 180-182, 202-205 Acrostroma 899 Aecidium hupiro 747 Agaricales 508, 861-862 Agaricus benesi 689, 693 bernardii 689, 691, 693 bisporus 689–691, 693, 849, 851 bitorquis 689, 691, 693, 852 brunnescens 689 campestris 689, 691, 693, 872 fusco-fibrillosus 689, 693 lilaceps 693 pattersonae 689, 693 sp. 689-690 spissicaulis 689, 693 spp. 689, 691 subfloccosus 689-689, 693 subrutilescens 689, 693 vaporarius 689, 692 Akanthomyces 685 arachnophilus 688 gracilus 688 johnsonii 685, 685-688, 686-687f Alatospora acuminata 136 Aleurodiscus 65 Allomyces 721, 723 macrogynus 716-723, 718f, 720f, 722f x javanicus 673-676 Alpova 578 diplophloeus 113, 576-580, 578-579f

Alternaria 31, 176, 582, 650, 799, 843

alternata 179-183, 202-205, 582-584, 648-649, 752, 840 chlamydospora 179-182 phragmospora 179-182 raphani 179-183 Alveophoma 347 Amanita 111 muscaria 12, 113 Amanitaceae 859 Ambrodiscus 320 pseudotsugae 320, 321–322, 321f Amylobasidium 63, 64 tsugae 63, 64f Anavirga dendromorpha 32-35, 366-373 Anguillospora gigantea 32-35, 366-373 Anixiella sublineolata 829 Aphanomyces astaci 716 Aphelaria 574 Aphyllophorales 252, 491 Apiocamarops 738, 740 alba 738, 740 cryptocellula 739, 740 Aquadiscula aquatica 32-36 Arenariomyces 780 trifurcatus 778, 780 Armillaria mellea 391, 466 Arthrinium 176 phaeospermum 180-182 Arthropsis 112 Articulospora tetracladia 136 Artomyces pyxidata 89 Arxiozyma 241 Ascocalyx abietina 333, 336 Ascochyta 176 chenopodii 179-182 Ascocorticiaceae 128 Ascomycetes 305, 318, 332-333, 648, 859, 885 Ascomycotina 7, 118, 129, 176, 442 Ascosphaera agregata 312 apis 318 atra 312-318, 313f, 315-317f Ascosphaeraceae 318 Ascosphaerales 318 Aspergillus 59, 86, 176, 475, 582, 599, 601-603, 650, 843

alliaceus 202, 204-205, 209 griseus 580 candidus 752 mesentericus 613 clavatus 202, 204-205 pinicola 391 flavus 202–205, 258, 610, 752–753 fumigatus 176, 202–204, 206, 349, 351–352, 752 rubinellus 102, 105 spp. 4 halophilicus 86 subg. Austroboletus 46 nidulans 60-61, 582-585 viscidus 382 niger 164, 202, 204, 206, 648, 752, 840, 851 Botryobasidium 66 ochraceus 164 fodinarum 65 ostianus 752 laeve 65 parasiticus 610 pruinatum 65 spp. 476 subalbidum 65, 65f, 66 tamari 752 zealandica 66 terreus 602 Botryohypochnoidea 65 Botryosphaeria 460 ustus 648 versicolor 202-204, 206, 752 pipturi 460, 460-461, 461f wentii 648, 751-752 spp. 460 Astroboletus 46 zea 460 Botryosphaeriaceae 461 graciliaffinis 46, 47f, 48, 51f, 52 olivaceus 46, 47f, 48-49, 51f Botryosporium 685 rionegrensis 48-49, 50-51f sp. 688 trinitatensis 46, 49, 50-51f, 52 Botryotrichum 298 Atelocauda Botrytis 176 koae 591f, 592 cinerea 797, 801, 840 Atkinsonella 291, 442 Buergenerula hypoxylon 192-193, 194f, 195, 197-198, 291-296 spartinae 778, 780 Atractiellales 804 Bullera 491 Atractium 898 Byssonectria 835 Aulographina Calonectria 643 eucalypti 461-462 Calvatia Aureobasidium 176, 347, 650, 799 spp. 4 pullulans 376-380 Camarops 740 richii 740 Auricularia 479, 491 fuscosuccinia 479, 490–491 Auriculariales 115, 479, 490–491 Camarosporium 176 Candida 491 Baeomycetaceae 128 albicans 170, 348-354 Balansia 291, 442 holmii 242-243 cyperi 192-193, 195, 196f, 197-198, 291-296 tropicalis 354 epichloe 192-193, 195, 196f, 197-198 henningsiana 192-193, 195, 196f, 197 utilis 60 Cantharellaceae 859 Carouxella 404 obtecta 294 sp. 196f scalaris 404 spp. 193, 197 Cenococcum 6 Balansiae 192, 197, 291, 294-296, 442 geophilum 4, 440 Balansiopsis 291 Ceratiomyxa 525-526, 529, 532-534 spp. 197 fruticulosa 532 Basidiodendron Ceratocystiopsis 23, 27,29 crassivaginata 29 proteac 24, 25f, 28f, 29 evrei 479 Basidiomycetes 859, 861-862, 885 Sasidiomycota 809 spp. 29 Basidiomycotina 7, 176 Ceratocystis 23-24, 305, 332 Benjaminiella autographa 875, 877 poitrasii 250-251 fagacearum 24 Bjerkandera fimbriata 24 adusta 113, 859-860 paradoxa 24 Blastobotrys 246 sect. Endoconidiophora 29 gigas 244 sect. Ips 29 sect. Ophiostoma 29 spp. 23-24, 877 Blastocladiella emersonii 60, 628 Blastomyces ulmi 641 dermatitidis 349-352 Ceratosotmella **Boletus 578** sp. 37 Cercospora 420 edulis 6, 391 giganteus 613 arachidicola 164

campinensis 773	recurvatum 526-534, 527-528f, 530-531f Clavaria
caricis 418–421, 420f epicoccoides 773	capitata 217
eucalypti 773	
eugeniae 773	subspinulosa 233
psidii 773	Clavariadelphus 866
sawadae 773	cokeri 867–867
	fasciculatus 866, 867–868f, 867–869
sp. 769	pistillaris 866–867
syzygiae 773	pistillaris var. americanus 867
usteriana 773	sect. Clavariadelphus 867
Cercosporidium	subfastigiatus 867
personatum 164	truncatus 866
Ceriosporopsis	Clavariopsis
halima 779	aquatica 32-36, 136, 366-373
Cerocorticium 70	Clavatospora
haconia	longibrachiata 32–36
sp. 261	Claviceps 197
thailandica 261, 262f	spp. 197
Chaetomium 176, 298, 304-305, 649-650	Clavicipitaceae 192, 291, 442
ampullare 305	Clavicorona
apiculatum 752	divaricata 89
brasiliense 304	pyxidata 89-97, 90f, 94f
distortum 648	Clavulina
globosum 202, 204, 206, 304, 365, 752	amazonensis 571, 572-573f, 574-574
homopilatum 305	brunneo-cinerea 574-574
longicolleum 305	castaneopes 574
longirostre 304	decipiens 574–574
malaysiense 298-305, 301-304f	floridana 574
repens 304	humilis 574
seminudum 305	samuelsii 574
sp. 648	
Chaetothyrium	spp. 574
sp. 757	subg. Fuscoclavulina 574
	subrugosa 574
spp. 757	Clitocybe 595–596
Chalara 23	spp. 4
australis 877	Coccidioides
bohemica 877	immitis 170
breviclavata 877	Cochliobolus
brunnipes 877	carbonum
constricta 877	heterostrophus 865
elegans 879	sativus 453, 863–865
microchona 875, 877	spiciferus
spp. 875, 877	Coelomycetes 648
vaccinii 875, 876f, 877, 878f, 879	Cokeromyces 251
Chamonixia 578	Coleosporium
Cheilymenia 515	paederiae 747
Chrysosporium	Colletotrichum 413
spp. 88	capsici 410, 411-412f, 413
Chytridiomycetes 251	Collybia
Chytridium	albuminosa 852
confervae 716	sect. Subfumosa 889
Circinella	
muscae 752	sect. Vestipides 889
Cirrenalia	spp. 889 Coniella 176
macrocephala 779	
	Coniothyrium 176
Cladosporium 31, 176, 582, 650, 733, 799	sp. 193
cladosporioides 176, 202–204, 206, 582–584, 648–	Coprinus 607
649, 674–675, 732–734	cinereus 102, 105
cucumerinum 180–182	congregatus 97
herbarum 178-182, 840	disseminatus 799
oxysporum 193	niveus 5
resinae 733, 780	Cordyceps
	agariciformis 217-218
spp. 733 Clastostelium 525, 529, 533	canadensis 217–218

odoratum 546, 557 protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 auroturbinatus 744	subg. Telamonia subtorvus tophaceus 744 umidicola 906 valgus 744 venetus 744 violaceus 744 vitellinus 744 xanthophyllus 744 zinziberatus 744 Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–543f microscopica 537–538 minima 538 minimis 538 minimis 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120 quercum f.sp. fusiforme 120
nigriceps 217 spp. 217, 219 Cornutispora 347 Corollospora 776, 780 intermedia 778–780 lacera 778, 780 maritima 777f, 778, 779f, 780–781 Corticium 64–65, 244 galactinum 546 odoratum 546, 557 protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	tophaceus 744 umidicola 906 valgus 744 venetus 744 violaceus 744 vitellinus 744 zanthophyllus 744 zinziberatus 744 Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–543f microscopica 537–538 minima 538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
spp. 217, 219 Cornutispora 347 Corollospora 776, 780 intermedia 778–780 lacera 778, 780 maritima 777f, 778, 779f, 780–781 Corticium 64–65, 244 galactinum 546 odoratum 546, 557 protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 aureofulvus 744 aureofulvus 744 bolaris 744 bornneofulvus 743, 746	umidicola 906 valgus 744 venetus 744 violaceus 744 vitellinus 744 xanthophyllus 744 zinziberatus 744 Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–543f microscopica 537–538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
Cornutispora 347 Corollospora 776, 780 intermedia 778–780 lacera 778, 780 maritima 777f, 778, 779f, 780–781 Corticium 64–65, 244 galactinum 546 odoratum 546, 557 protrusum 555 rigesceas 558 Cortinarias 741 atrovirens 744 aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	valgus 744 venetus 744 violaceus 744 violaceus 744 vitellinus 744 xanthophyllus 744 zinziberatus 744 Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–543f microscopica 537–538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
Corollospora 776, 780 intermedia 778–780 lacera 778, 780 maritima 777f, 778, 779f, 780–781 Corticium 64–65, 244 galactinum 546 odoratum 546, 557 protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 aureofulvus 744 aureofulvus 744 bolaris 744 bolaris 744 brunneofulvus 743, 746	venetus 744 violaceus 744 vitellinus 744 xanthophyllus 744 zinziberatus 744 Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–5436 microscopica 537–538 minima 538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
intermedia 778–780 lacera 778, 780 maritima 777f, 778, 779f, 780–781 Corticium 64–65, 244 galactinum 546 odoratum 546, 557 protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	violaceus 744 vitellinus 744 xanthophyllus 744 zinziberatus 744 Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–543f microscopica 537–538 minima 538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
lacera 778, 780 maritima 7776, 778, 779f, 780–781 Corticium 64–65, 244 galactinum 546 odoratum 546, 557 protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinarias 741 atrovirens 744 aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	vitellinus 744 xanthophyllus 744 zinziberatus 744 Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–5436 microscopica 537–538 minima 538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
maritima 777f, 778, 779f, 780–781 Corticium 64–65, 244 galactinum 546 odoratum 546, 557 protrusum 555 rigesceas 558 Cortinarias 741 atrovirens 744 aureofulvus 744 aureofulvus 744 bolaris 744 brunneofulvus 743, 746	xanthophyllus 744 zinziberatus 744 Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–5431 microscopica 537–538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
Corticium 64–65, 244 galactinum 546 odoratum 546, 557 protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 aureofulvus 744 bolaris 744 brunneofulvus 743, 746	zinziberatus 744 Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–5436 microscopica 537–538 minima 538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
galactinum 546 odoratum 546, 557 protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 aureofulvus 744 aureofulvus 744 bolaris 744 brunneofulvus 743, 746	Cribraria aurantiaca 539 confusa 536–537, 539, 541–544, 542–5431 microscopica 537–538 minima 538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
odoratum 546, 557 protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	aurantiaca 539 confusa 536–537, 539, 541–544, 542–5431 microscopica 537–538 minima 538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
protrusum 555 rigesceas 558 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 aureoturbinatus 744 bolaris 744 brunneofulvus 743, 746	confusa 536–537, 539, 541–544, 542–5431 microscopica 537–538 minima 538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
rigesceas 558 Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	microscopica 537–538 minima 538 minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
Cortinariaceae 3, 859 Cortinarius 741 atrovirens 744 aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	minima 538 minutissima 536-541, 539-540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
Cortinarius 741 atrovirens 744 aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	minutissima 536–541, 539–540f, 544 persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
atrovirens 744 aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	persoonii 539 spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
aureofulvus 744 auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	spp. 536, 539 violacea 536 Cronartium coleosporioides 235 fusiforme 120
auroturbinatus 744 bolaris 744 brunneofulvus 743, 746	violacea 536 Cronartium coleosporioides 235 fusiforme 120
bolaris 744 brunneofulvus 743, 746	Cronartium coleosporioides 235 fusiforme 120
brunneofulvus 743, 746	coleosporioides 235 fusiforme 120
	fusiforme 120
Callisteus /++	
cirnamomeolutescens 745	quercum 1.sp. justiorine 120
cotoneus 744	ribicola 120
fluorescens 741–743, 746	
fulvaureus 741-743, 746	spp. 235
gentilis 744	Cryphonectria
henrici 743, 746	cubensis 59 Cryptococcus 491
hercynicus 744	
humicola 744	neoformans 349, 351, 353 sp. 203
ignipes 744	Cryptomycetaceae 129
impennis	Cryptosphaeria
limonius 744	populina 307-310, 308-309f
melanotus 744	Cunninghamella
odoratus 744	elegans 648–649
odorifer 744	Curvularia
olearioides 744	cymbopogonis 193
orellanoides 743, 746	lunata 674–675
orellanus 741, 743	senegalensis 648-649
psittacinus 744	Cystofilobasidium 560
rainierensis 743, 746	capitatum 560
raphanoides 744	Cyttaria 129
rubellus 746	Cyttariaceae 129
rubicundulus 744	Cyttariales 129
rufoolivaceus 744	Dacrymycetales 490–491
saniosus 744	Dactuliochaeta 697, 700, 705
sect. Orellani 741, 743	glycines 698f, 699, 699-705, 701-704f
speciosissimus 741, 743, 746	Dactuliophora 705
speciosus 746	elongata 704
splendens 744	glycines 696, 699
spp. 3, 741	sp. 700
stuntzii 903, 903-906, 904-905f	spp. 696, 705
subg. Cortinarius 743	tarri 704
subg. Leprocybe 743	Daedaleopsis
subg. Leprocybe sect. Bolares 744	confragosa 860
subg. Leprocybe sect. Leprocybe 744	Dendryphiella 176
subg. Leprocybe sect. Limonei 744	arenaria 179–182
subg. Leprocybe sect. Orellani 743	salina 778, 780
subg. Leprocybe sect. Raphanoidei 744	Depazaea 14
subg. Leprocybe sect. Zinziberati 744	Depazites 14
subg. Phlegmacium 743	Dermateaceae 128, 322
subg. Phlegmacium sect. Scauri subsect. Orichalcei	Dermocybe 741
744	carpineti 745

tinctorium 453 chinostelium 853, 855 coelocephalum 634 minutum 634, 853, 854f spp. 634 laphomyces 217, 219 granulatus 4-4 mbellisia sp. 193 mericella nidulans 752 indocronartium 235 harknessii 120–123, 122f, 235 indogonales 622 indogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma abortiva 232
coelocephalum 634 minutum 634, 853, 854f spp. 634 laphomyces 217, 219 granulatus 4-4 mbellisia sp. 193 mericella nidulans 752 indocronartium 235 harknessii 120-123, 122f, 235 indogonales 622 indogone 628 pisiformis 4, 54-61, 626, 628 spp. 54
minutum 634, 853, 854f spp. 634 laphomyces 217, 219 granulatus 4-4 mbellisia sp. 193 mericella nidulans 752 ndocronartium 235 harknessii 120–123, 122f, 235 indogonales 622 indogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma
spp. 634 laphomyces 217, 219 granulatus 4–4 mbellisia sp. 193 mericella nidulans 752 ndocronartium 235 harknessii 120–123, 122f, 235 ndogonales 622 ndogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma
laphomyces 217, 219 granulatus 4-4 imbellisia sp. 193 imericella nidulans 752 indocronartium 235 harknessii 120-123, 122f, 235 indogonales 622 indogone 628 pisiformis 4, 54-61, 626, 628 spp. 54 intoloma
granulatus 4-4 mbellisia sp. 193 mericella nidulans 752 indocronartium 235 harknessii 120-123, 122f, 235 indogonales 622 indogone 628 pisiformis 4, 54-61, 626, 628 spp. 54 intoloma
mbellisia sp. 193 mericella nidulans 752 indocronartium 235 harknessii 120–123, 122f, 235 indogonales 622 indogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma
sp. 193 mericella nidulans 752 indocronartium 235 harknessii 120–123, 122f, 235 indogonales 622 indogone 628 pisiformis 4, 54–61, 626, 628 spp. 54
mericella nidulans 752 indocronartium 235 harknessii 120–123, 122f, 235 indogonales 622 indogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma
nidulans 752 ndocronartium 235 harknessii 120–123, 122f, 235 ndogonales 622 ndogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma
ndocronartium 235 harknessii 120–123, 122f, 235 ndogonales 622 indogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma
harknessii 120–123, 122f, 235 indogonales 622 indogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma
indogonales 622 indogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma
indogone 628 pisiformis 4, 54–61, 626, 628 spp. 54 intoloma
pisiformis 4, 54-61, 626, 628 spp. 54 intoloma
spp. 54 intoloma
intoloma
spp. 3
intophlyctis 16
introphospora 628
infrequens 435-438
phelis 291
sp. 194f, 195, 196f
pichloe 291, 442, 444
typhina 197, 294–295, 442–443
picoccum 176, 650, 799
nigrum 648–649, 674–675
purpurascens 180–183
criospora 347
cuascomycetes 318
Sumycetozoa 634
Surotiales 752
urotium
amstelodami 752
echinulatum 87
halophilicum 82, 86-87, 87f
leucocarpum 86
spp. 86
utypella
vitis 307-310, 308-309f
Exidia 491
glandulosa 479
truncata 479
Exidiopsis
fugacissima 479
Farrowia 298, 305
longicollea 298
malaysiense 298
seminuda 298
Filobasidium 479
capsuligenum 479
Filosporella
annelidica 32-36, 366-373
sp. 32–35
Flabellopilus
giganteus 613
Flammulina
velutipes 97 Fornes
annosus 396
fomentarius 244, 453

flavomarginata 74 Fomitopsis pinicola 447–451, 449f roseus 69	lucidum 493, 495, 497, 499–503, 500f, 505–506 meredithae 494–495, 497–499, 498f, 501–506, 504f oregonense 494–495, 497–499, 498–499f, 501–506,
pinicola 447-451, 449f	oregonense 494-495, 497-499, 498-499F, 501-506
roseus 60	504f
loscus 07	resinaceum 506
Fusarium 176, 258, 650, 738, 792-793, 885	spp. 453
acuminatum 108, 791-793, 821-823	tsugae 495, 497, 499f, 501-506, 504f
annulatum 255, 735-738	valesiacum 503
anthophilum 255, 735-736, 738	zonatum 494-492, 496f, 497, 499-503, 500f, 505-
avenaceum 108-109, 791-793, 821-822	506
	Gastroboletus 578, 580
compactum 821-822	subalpinus 3
crookwellense 108, 821-822	turbinatus 3, 580
	Gastroleccinum 578
	Gastrosuillus 578
	Gautieria 578
epiphaeria 790	monticola 4
	Gelantinodiscaceae 128
6 111 1 706 700	Geoglossaceae 128, 859
	Geomyces
823, 892	pannorum 752
graminum 821–822	
•	pannorus 83
heterosporum 821–822	pulvereus 82, 83f
	Geosmithia 582
merismoides 790–793	sp. 582–584
	Geotrichum
737, 791–793	spp. 112
nivale 179–180, 182	Gibberella 681
nygamai 108, 264, 265f, 266, 408f, 409, 735-737	fujikuroi 255, 407, 681, 734–735, 737, 902
oxysporum 255-258, 734-738, 790-794	fujikuroi var. fujikuroi 255-258
oxysporum f.sp. radicis-lycopersici 333	fujikuroi var. intermedia 255-258
poae 109	fujikuroi var. moniliformis 255-256
proliferatum 255, 408f, 409, 735-738, 792	fujikuroi var. subglutinans 255-256, 258
reticulatum 821–822	spp. 679, 682
sambucinum 138, 790-793, 821-823	subglutinans 255, 738
	zeae 679-683, 680f, 682-683f, 892-894, 893f
scirpi 108, 821–823	Giberella
sect. Arthrosporiella 815, 821	subglutinans 734
sect. Discolor 815, 821	Gigaspora 260, 622, 628
sect. Gibbosum 815, 821	corralloidea 160
sect. Liseola 108, 255, 258, 264, 407, 734-738	gigantea 211-215, 435, 438
sect. Roseum 815, 821	heterogama 160
semitectum 108, 791–792, 821–823	margarita 157, 622-628
solani 763, 790-792, 885, 886f	spp. 524
sp. 134, 193, 195, 264, 648–649	Gilbertella
sporounchioides 108	persicaria 704-714, 708-712f
spp. 176, 409, 670, 790–791, 815–816, 821, 823	Gliocladium 176
subjutinans 255-256, 755-757	roseum 176, 202-204, 209
subglutinans var. subglutinans 734	spp. 870
succisae 255, 735-737	virens 202, 204, 207, 209, 796, 870-873
tricinctum 109, 180-182	Gliomastix 176
1 uscoboletinus 362–371	murorum 176
aeruginascens 382-383, 384f, 387, 389-390	
B 201, 201, 201, 201, 201	Gloeophyllum
ochraceoroseus 382-383, 385f, 387, 389-391	sepiarium 113
P	Gloeosporium 413
	Gloiodon
Fusicoccum 460	nigrescens 67
Ganoderma 493, 501, 503, 506	occidentale 66, 66f, 67f
applanatum 447-453, 449-450f, 452f, 859-860	strigosus 66f, 67
	Glomus 622, 628
colossum 495-497, 496f, 499-503, 500f, 505-506	aggregatum 339, 435, 438
curtisii 501, 503, 506	caledonium 260
lobatum 503	caledonius 61, 622, 626, 628

clarum 157-160, 158f	sessile 365
constrictum 339, 435-438	Heliscus
convolutum 4	lugdunensis 32-36, 365-373
deserticola 565–567	Helotiaceae 128
diaphanum 521	Helotiales 127, 130
epigaeus 160	Helotium 127, 130
etunicatum 338–341, 435–438, 565–566	Hemiascomycetes 322
fasciculatum 435–438	Hemiphacidiaceae 128
geosporum 435–436, 438	Heterobasidiomycetes 115, 479, 490-491
globiferum 565–566	Heterobasidion
intraradices 622–628	annosum 396
macrocarpum 259–260, 567, 755	Histoplasma
mosseae 109-110, 157, 160, 259-260, 338-341, 435- 438, 628	capsulatum 349–352
occultum 521	Holocyphina villosa 808
sp. 622, 626, 628	
sp. 159, 565	Homobasidiomycetes 490–491 Hyaloscyphaceae 128
tenuis 6	Hydnaceae 252
versiforme 622–628	Hydnellum 252–253
vesiculiferum 622–628	suaveolens 252–253
Gnomonia 18f, 19, 20f, 305	Hydnotrya
leptostyla 902	variiformis 4
Grandigallia	Hygrophorus
dictyospora 641	goetzii 4
Graphiola 118	Hymenochaete
phoenicis 116, 118-119	sp. 393-396, 394-395f
Graphiolaceae 118-119	Hymenoscyphus 127
Graphium 23	Hyphoderma 70
Grifola	sibiricum 70
frondosa 618	Hyphomycetes 648, 896
gigantea 613, 618	Hypochnicium
lentifrondosa 612, 618	sp. 558
mesenterica 613, 618	Hypocrea
sumstinei 612, 616	spp. 321
Guepiniopsis	Hypocreales 305
alpinus 4	Hypoxylon 176
Guignardia 460–461	Inermisia 835
Gymnoascus	Inonotus
reesii 752	spp. 396
Gymnoconia	Irpex
peckiana 586, 588f	lacteus 859-860
Gymnosporangium 356	Isaria
asiaticum 117–118	epiphylla 688
juniperi-virginianae 120, 356-363, 357-358f, 360f,	epiphylla var. fasciculata 688
362f	filiformis 685, 688
Haematostereum	Kabatiella 347
sanguinolentum 124–126	Knoxda viesia 26, 29
Haligena	proteae 26-27, 26-28f
elaterophora 778 Halosarpheia	Kotlabaea 835 Lachnea
retorquens 32-36, 366-373	
Halosphaeria	pygmea Lachnellula 4
appendiculata 778	Lachnocladiaceae 859
Halosphaeriopsis	Lachnocladium
mediosetigera 778	chartaceum 574
Harpella 404	Lactarius
melusinae 404	lignyotellus 99-106, 101f, 103-105f
Harpellales 404	spp. 99, 106
Harpellomyces 404	Laeticorticium 64
Hebeloma	Lactiporus 619
crustuliniforme 391	persicinus 619
Helicobasidium	Lagenidium
mompa 479	giganteum 79-80
Helicoon	Lamprospora 835

Lasiosphaeria sp. 32-35 Lathraeodiscus 832 arcticus 833, 834–835f, 835 Leccinum 578 Lentinus edodes 102, 849, 851 Leotia 127-128, 130 Leotiaceae 130, 322 Leotiales 127, 129-130, 322 Lepiotaceae 859 Leptographium 23, 29 spp. 29 Leptolegnia chapmanii 891 ornata 891 Leptosphaeria 16, 176 albopunctata 778, 780 obiones 778, 780 oraemaris 778, 780 sp. 32-35, 366-373, 370f Leptosporomyces galzinii 808 Leucosporidium frigidum 560 Lignincola laevis 778, 780 Limacella 111 guttata 112 illinita 111-113, 112f Limnoperdon incarnatum 808 Lobaria oregana 811-814, 812f pulmonaria 811-814, 812f Loculoascomycetes 118 Lophophacidium 129 Lophotrichus barlettii 752 Lulworthia halima 608 lignoarenaria 778-780, 779-780 sp. 779 Lycoperdaceae 508 Maclura pomifera 674-675 Macrophomina phaseoli 410 Marasmiellus 286 albofuscus 288 cocophilus 288 coilobasis 889 defibulatus 889 inoderma 288 mesosporus 288 nigripes 889 paspali 286, 289 paspali var. americanus 286, 287-288f paspali var. paspali 288f pilosus 889 scandens 288 schiffneri 289 sect. Tricolores 288 semiustus 288

spp. 288 stenophyllus 288 subsect. Inodermini 288 tricolor 288 troyanus 288 Marasmius atrorubens 889 bezerrae 889 eorotula 889 guyanensis 889 haematocephalus 889 hinnuleus 889 leoninus 889 niveus var. cohortula 889 oleiger 889 oreades 859 sect. Marasmius 889 spp. 889 trinitatis 889 Maravalia 261 fusiformis 261-262, 262f, 263 milletiae 263 milletiicola 263 pterocarpi 261 Marcelleina 835 spp. 835 Margaritspora aquatic<sub>2</sub> 32-36 Mariannaea 134 clavispora 131-134, 132-133f elegans 134 Marinospora calyptrata 779 Massarina aquatica 32 Mauginiella 112 Medeolaria 129 farlowii 129 Medeolariaceae 128-129 Medeolariales 129 Mehtamyces stereospermi 400 Melampsora 749 epitea 116-118 humilis 116-118 medusae 729-731, 730f medusae f.sp. deltoidae 731 medusae f.sp. tremuloidae 731 yoshinagai 748f, 749 Melanopsamma 29 Melanospora 305, 414 Meripilus 619 giganteus 612-615, 614f, 617-620 lentifrondosa 618, 619, 619f persicinus 618 spp. 619 sumstinei 615-620, 616, 616f talpae 618-619 tropicalis 618-619 Microascales 305 Microascus 305 trigonosporus 752 Micromphale brevipes 889

Microthecium 414	spp. 177	
Microthelia	Mucoraceae 250, 859	
linderi 779-780	Mucorales 176, 250, 752	
Mollisia	Multiclavula 575	
sp. 37	Mycaureola	
Monascaceae 318	dilseae 808-809	
Monascus	Mycena	
eremophilus 84, 84-86, 85f	clavulifera 861-862, 862f	
herbariorum 86	cuspidatapilosa 889	
purpureus 84	indica 861–862, 862f	
Monilia 660	sect. Longisetae 862	
amelanchieris 660	sect. Sacchariferae 862f	
demissa 660	spp. 4	
gaylussaciae 658	theobromicola 508	
gregaria 660	Mycogloea	
johnsonii 660	carnosa 809	
seaveri 660	Mycosphaerella 176	
Moniliales 752 Monilinia 660	feijoae 772	
amelanchieris 664	ilicis 463	
ariae 664	nigro-maculans 463	
aucupariae 664	pini 462	
azaleae 653, 664	rubefaciens 463 sp. 463, 463f, 7775	
baccarum 660, 664	sp. 463, 4631, 7773	
demissa 663-664	yaku-insularia 463	
fructicola 660, 664	Mycotypha 251	
fructigena 660, 664	microspora 250-251	
gaylussaciae 653-659, 654f, 656, 657f, 660-661, 663-	Mycotyphaceae 250	
664	Myllitopsis 479	
gregaria 663-664	Myriogenospora 291, 442	
johnsonii 663–664	atramentosa 192, 197	
kusanoi 664	Myxarium	
laxa 660, 664	nucleatum 479	
ledi 664	Nais	
linhartiana 664	inornata 32-36, 365-373, 370f	
mali 664	Nectria	
megalospora 660, 664	haematococca 32-36, 366-373	
mespili 664	inventa 177	
mume 664	lucidum 32-36, 366-373	
oxycocci 660, 664	lugdunensis 36	
padi 664	pseudotrichia 641	
polycodii 653, 664	sinopica 643-644	
rhododendri 664	spp. 643	
seaveri 664	Neottiella 835	
spp. 653, 660, 663-664	Nereiospora 780	
urnula 660-661, 663-664	cristata 778, 780	
vaccinii-corymbosi 653-657, 654f, 657f, 659-663,	Neurospora 305	
662–663f, 663–664	crassa 475-477, 582, 610, 825-830, 826-828f	
Monodictys 176	tetrasperma 829-830	
pelagica 779	Newinia	
putredinis 779	heterophragmae 399	
Monotosporella	kigeliae 399	
tuberculata 32-36	thaiana 397, 397-400, 398-399f	
Mortierella 176	Nia	
Mucor 176, 251	vibrissa 808	
genevensis 250–251	Nigrospora	
globosus 648–649	sphaerica 648	
hiemalis 202, 204, 207, 837, 842-843	Nivatogastrium	
miechei 60	nubigenum 4	
mucedo 837, 843–844	Octospora 835	
piriformis 837-844, 840-841f	indica 835	
piriformis 837–844, 840–841f racemosus 752	indica 835 plumbea-atra 835	
piriformis 837-844, 840-841f	indica 835	

Omphalina	oxalicum 726-727
spp. 4	piceum 727-728
Oomycetes 427, 648	puberulum 726-728
Ophiobolus	purpurogenum 727
halima 608	roquefortii 727-728
Ophionectria 643	simplicissimum 202, 204, 208-209
Ophiostoma 23, 305, 321, 332	sp. 648
spp. 23-24, 322	spinulosum 727–728
ulmi 23, 325-336, 327-328f, 330f, 334-335f	spp. 176-177, 180-182, 840
wageneri 23	stipitatum 727
Ophiostomataceae 318, 332	turbatum 726-728
Ophiostomataies 305	vermiculatum 727-728
Ophiotstoma 29	verrucosum 202, 204, 208
Orbiliaceae 128	Penicillum
Oxyporus	aurantiogriseum var. neoechinulatum 751
	chrysogenum var. dipodomyis 751
latemarginatus 859–860	Periconia
Paathramaya 898	minutissima 193
Pachnocybe	
ferruginea 804-809, 806-807f	prolifica 779
Pachytichospora 241	Peridermium
Paecilomyces	harknessii 235-240, 238-239f
persicinus 61	Peridiopsora 747
sp. 674-675	Peronosclerospora
Paneolus	spp. 872
semiovatus 5	Persiciospora 414, 416
Papulaspora 176	africana 414, 415f, 416, 416
sp. 648, 752	japonica 416
	masonii 414
Paracoccidioides	moreaui 416
brasiliensis 349, 351	Pestalotia
Paraphoma 700	sp. 648-649
Paratrichophaea 515, 519	Pestaloziella 347
macrocystis 515-516, 516f, 519	Peyronellaea
michiganensis 516, 517f, 519, 519	sp. 648–649
pygmea 516, 518f, 519, 519	Pezizales 318
Penicillium 322, 582, 599, 601-603, 650, 726, 799,	Phacidiaceae 128
843-844	The state of the s
aurantiogriseum 727, 751	Phacidiales 129
aurantiogriseum var. aurantiogriseum 753	Phacidiostroma 129
aurantiogriseum var. neoechinulatum 752	Phacidium 129
avellaneum 727–728	Phaeoseptoria
brefeldianum 727	eucalypti 462
brevicompactum 727-728	Phaeotheca
canescens 202, 204, 207	fissurella 641
charlesii 648-649	Phallales 508
chrysogenum 204, 207, 349, 351, 602, 648, 727-	Phanerochaete
728, 852	chrysosporium 124-125
chrysogenum var. chrysogenum 753	spp. 558
chrysogenum var. dipodomydis 752	velutina 557
chrysogenus 202, 209, 751	Phellinus 76
citreonigrum 582-585, 726-728	chrysoloma 3
citrinum 59, 202, 204, 207, 727-728	ferrugineovelutinus 72, 75
ehrlichii 727–728	flavomarginatus 72, 73f, 74–76
frequentans 177, 202, 204, 208, 648	glaucescens 72, 73f, 74–75
funiculosum 202, 204, 208, 727	
	rickii 72–73, 73f, 75
griseofulvum 727, 752	spp. 72, 75, 396
herquei 727	tropicalis 73, 73f, 75
islandicum 726–728	Phialemonium 417
italicum 174	Phialocephala 29
janthinellum 726-728, 752	Phialophora 416–417, 877
javanicum 727	sect. Catenulatae 877
lividum 582–584	spp. 6
montanense 582-584	Phialostele 899
ochrochloron 726–727	Phlebia

incarnata 859-860	glaucescens 75
Pholiota 4	latemarginata 102
Phoma 176, 696, 700	rickii 72-73, 75-76
glomerata 179–183	Porphyrellus 49
spp. 648-649	rionegrensis 49
Phomopsis 176, 307, 310	Pragmopycnis 347
sp. 344	Protomyces 176
vaccinii 307	Protosporangium 525-526, 529, 532-533
Phragmidiella	articulatum 532
stereospermi 400 Phragmothyrites 16, 17f	Pseudocercospora 769 feijoae 770–771f, 772, 773, 774f, 775
Phycomyces	myrticola 773
blakesleeanus 673, 676, 843	sp. 772
Phycomycetes 318	Pseudocyphellaria
Phyllosticta 460	spp. 8!4
antirrhini 410	Pseudohalonectria
Physarum	lignicola 32-35, 366-373
polycephalum 634	sp. 32-35, 366-373, 370f
Phytophthora 259, 429, 466	Psilocybe 12
cactorum 467-473, 475-476	spp. 4
cinnamomi 80, 164	Pteridiosperma 414
cryptogea 467, 469-470, 473, 475	Pterula 574
heveae 80	echo 89
infestans 469, 473, 475-476, 872	Puccinia
megasperma 467, 469-470, 473	arachidis 586, 589f, 590
megasperma f.sp. glycinea 466-467, 469-471, 473-	coprosmae 747
475	coronata f.sp. avenae 117-118
megasperma f.sp. medicaginis 467, 469-470, 473-	helianthi 455-458, 457f
475	hordei 568
palmivora 77	punctiformis 455–459, 457–458f
parasitica var. nicotianae 467, 469-470, 473-475	recondita 568, 569f
spp. 77, 467, 469–471, 473, 475–477, 665	sp. 872
syringae 77–80 Pichia 475	vitata 591–592, 591f
Pisolithus	Pucciniastrum 749 boehmeriae 116–118
tinctorius 855–858	vaccinii 464
Pistillaria	wikstroemiae 748-749
johnsonii 685	Pyramidospora
Pithomyces	sp. 32-35, 366-373
chartarum 648	Pyrenochaeta 696, 700
Plectania	glycines 696, 699
nannfeldtii 4	Pyrenomycetes 118, 322
Plectomycetes 318	Pythium 429
Pleospora 176	aphanidermatum 666-671
bjorlingii 177	deliense 666-670
salicorniae 177	dissotocum 666-669
Pleosporales 461	graminicola 665, 671
Pleurotus	intermidium 670
florida 852	myriotylum 666-670
ostreatus 689, 849	sp. 366–373
sapidus 849	spp. 31, 665, 671
spp. 851	sylvaticum 610
Podosporiella 898	tardicrescens 670
Polypilus	ultimum 666-670
giganteus 613	ultimum var. sporangiferum 666-670
Polyporaceae 859	ultimum var. ultimum 666-670
Polyporus	violae 666-670
abietinus 124	Pyxidiophora 305
alveolaris 859–860	Ramaria 223, 575
anceps 124	brunneipes 228
giganteus 612	claviramulata 223, 231, 231f
persicinus 619	conjunctipes var. tsugina 225
Poria	cystidiophora 224–225, 230
ferrugineovelutina 75	cystidiophora var citronella 224

cystidiophora var fabiolens 224 eccentrica 508, 508-511, 510f, 512f cystidiophora var. anisata 223, 224f, 230 fibulata 509 distinctissima 225, 229 mellea 510f, 513, 513-514, 514f distinctissima var. americana 224f, 225, 229 fibulata 233, 233 russularia 514 sect. Claudopodes 511 sect. Rhodocybe 513 sect. Rhodophana 509 flavigelatinosa 229 flavo-saponaria 227 foetida 224f, 226 spp. 508 Rhodosporidium 560 fluviale 561-563, 562, 563f fumosiavellanea 230, 233 guayanesis 232 gypsea 230 highlandensis 227, 227f, 228 paludigenum 561-562 sphaerocarpum 561-563 hilaris 229 toruloides 562 hilaris var. hilaris 229 Rhodotorula 560 hilaris var. olympiana 227f, 228, 229 glutinis 561-562, 673-677 largentii 225 gracilis 58 maculospora 233 graminis 561-562 magnipes 228 sp. 203 marrii 230 Rhombostilbella obtusissima 230, 232 crus-pavonis 757 rosea 757, 758f pancaribbea 232 rasilispora 228 Rhytidospora 414 schildii 225, 227f, **229**, 2**29**, 230 spinulosa 230,-234 Rhytisma 19 Rhytismataceae 128-129 spinulosa var. diminutiva 227f, 230, 231, 233 Rigidoporus spinulosa var. fibulata 233 ulmarius 462 spp. 3, 232 Russula subg. Echinoramaria 232 spp. 99, 106 subg. Lacticolora 226, 232 subspinulosa 233–234 Saccharomyces 241 bailii 241 verlotensis 223, 229, 231f, 232 bayanus 241 versatilis 230 castellii 241-243 versatilis var. violaceibrannea 230 cerevisiae 174, 241, 336, 349-354, 351f, 468, 902 zebrispora 226 dairensis 241-243 Ramariopsis exiguus 241-243 spp. 575-576 pastorianus 241 subg. Ramariopsis 575 rosei 241 Ramsbottomia 835 servazzii 241-243 Remispora spp. 562 maritima 779 unisporus 241-243 quadriremis 779 Saprolegnia Rhabdocline ferax 423-431, 424f, 428f, 430f parkeri 198 sp. 648-650 Rhizoblepharia 515 Savoryella Rhizoctonia 453 lignicola 365 solani 289 Schizophyllum Rhizophlyctis commune 247-248, 859-860 rosea 673-676 Schizothyrium Rhizopogon 578, 580 pomi 16 roseolus 580 Scirrhia rubescens 580 pini 462 subsalmoneus 4 Scierocystis 628 vulgaris 4 coremioides 339 Rhizopus 258 rubiformis 435, 437-438 arrhizus 752 sinuosa 435-438 arrhizus var. delemar 255, 257, 735 Sclerotiniaceae 128 nigricans 180-183 oryzae 648-649 Sclerotium sp. 60 cepivorum 713 stolonifer 164, 202, 204, 208, 842-843 rolfsii 164, 713 Rhodocybe 509 Scoleconectria albovelutina 509 cucurbitula 636-644, 637-638f, 640-642f Scopulariopsis 176 claudopus 511, 513 densifolia 510f, 511, 512f brevicaulis 674-675

brumptii 752	ilicicola 463
candida 752	prini 463
sp. 582-584	spp. 463
Scutellospora 260	Sphaeria
calospora 523	agariciformis 217
dipurpurescens 520, 520-524, 522-523f	Sphaeriales 244, 752
pellucida 435, 437-348, 521, 523-524, 524f	Sphaerodes 414
sp. 520	Sphaeronaemella 305
spp. 523-524	Sporidiobolus 560
sudanense 524	ruinenii 561-562
Scytalidium 176	Sporothrix 23
Scytinopogon 575	catenata 244
chartaceum 574	fungorum 244, 246
dealbata 572f	schenckii 349, 351–352
dealbatus 575–576	sp. 193
spp. 574	spp. 246
Scytinostroma	Stachybotrys 29
africanogalactinum 546, 557	albipes 29
eurasiaticogalactinum 546, 556–557	spp. 29
galactinum 546–558, 554f	Stachylina 400
hemidichophyticum 558	grandispora 404
neogalactinum 546, 557	lotica 400
protrusum subsp. protrusum 547–557, 554f, 555	reflexa 401, 401–405, 402–404f
protrusum subsp. septentrionale 547–557, 554f, 555	Stagonospora 176
Sebacina	sp. 179–183
incrustans 479 Semimorula	spp. 177
	Stemonitis
liquescens 630–635, 631–633f	flavogenita 405–406
Septobadisium 599	Stemphylium 176
Septoria 176, 347	Stephanoascus
albo-punctata 464 diformis 464	ciferrii 244
longispora 464	farinosus 244, 245–246f spp. 246
sheareana 464	Stereum
sp. 463, 463f	alneum 557
stemmatea 464	suaveoleus 558
vaccinii 464	Sticta 814
vaccinii-uliginosi 464	Stilbellula 898
Sepultaria	Stromatographium 898
pygmea 519	Suillus 382–391, 578
Sirobasidium	cavipes 382, 387–391, 388f
magnum 479	cothurnatus 580
Sistotrema 69	grevillei 382, 387, 388f, 389-390
autumnale 69	luteus 580
brinkmannii 69	Syncephalastrum
exima 69	racemosum 648-649
heteronemum 69	Synchronoblastia
lachrymisporum 69	crypta 345, 345–347, 346f
populicola 67-68, 68f	Synnemellisia 896, 898
pyrosporum 69	hyalospora 896, 897–899f, 898
raduloides 69	Taphrina
Sordaria 305	cerasi 164
fimicola 202, 204-205, 673-676	deformans 163-174, 165-166f, 168-169f, 171-173f,
humana 304	716, 721
macrospora 825	Tetracladium
Sordariales 305	marchalianum 32–36
Sorosporium 118	Tetragoniomyces 479
formossanum 116, 118	uliginosa 479
Sphacelia 291	Thaxterogaster
sp. 194f, 195	pingue 3
Sphacelotheca 118	spp. 3-4
pamparum 116, 118	Thelephora
Sphaerella	alnea 557
ilicella 463	galactina 546
	9

suaveoleus 558 Triciolomataceae 3, 859, 861-862 Thermomonospora 767 Trichomerium Thielavia didymopanacis 757 sepedonium 752 Trichophaea 515 Thielaviopsis michiganensis 519 basicola 453 Trichophaeopsis 515 Thujacorticium 69, 70 bicuspis 515 mirabile 69, 69-70f tetraspora 515 Thyrinula Tricladium eucalyptina 461 splendens 365 Thyronectria varium 365 Trimorphomyces berolinensis 643-644 Tilachlidium papilionaceus 479 brachiatum 688 Triscelophorus Tilletia 118 monosporum 32-35 aegopogonis 283 Truncocolumella 578, 580 bromi-tectorum 273-281, 283 citrina 580 caries 38-44, 116, 118, 273, 280-283 rubra 4, 580 cerebrina 283 Tuber controversa 38-44, 280-283 brumale 902 foetida 38, 283 melanosporum 900-902 fusca 273-284 spp. 900 guyotiana 273-278, 280-283 Tubercularia 176 lycuroides 283 Tulasnella araneosa 479, 490-491 togwatii 274f, 277f, 279f, 281f, 284 Tulasnellales 490-491 Tilletiaceae 118-119 Typhula Tolyposporium 118 bullatum 116, 118 erythropus 89 Tomophagus spp. 97 colossus 506 Tyromyces Torula caesius 64 herbarum 365 leucospongia 4 Torulaspora 241 Uredinales 115-116, 119, 261, 490-491 Trametes Uredo 747 hirsuta 860 daphnicola 749 versicolor 860 vulcani 747, 748f Tremella 481, 490-491 Uromyces 176 globospora 480f, 481-491, 482f, 484-485f, 487-490f koae 592 mesenterica 481 phaseoli 486 spp. 479 scillarum 568, 569f Tremellales 479 vignae 455-459, 457-458f Tremellineae 479 Ustilaginaceae 118 Tremellodendron Ustilaginales 115-116 candidum 479 Ustilago 118 Tremellodendropsis 574 avenae 170 Treubiomyces coicis 116, 118 pulcherrimus 757 crus-galli 116, 118 cynodontis 116, 118 spp. 757 Trichaptum hordei 116, 118 abietinum 124-125 maydis 116, 118, 174 Tricharina 515 nuda 116, 118 Trichocladium 176 sphaerogena 116, 118 achrasporum 779 syntherismae 116, 118 lignincola 32-35, 366-373 urticulosa 116, 118 Trichoderma 176, 321, 453, 650, 767, 799 hamatum 752, 797–802, 870–873 Varicosporina 776 ramulosa 778-780 harzianum 142-149, 146f, 870-873 Verticillium 582 koningii 797-802, 870-873 albo-atrum 325-336, 327-328f, 330f, 334-335f polysporum 796-802, 870-873 cinnabarinus 648 pseudokoningii 202-204, 208 dahliae 582-585 reesei 142, 767 nigrescens 177 spp. 141-142, 795-797, 799, 801, 870 sect. Prostata 134 viride 142, 177, 365, 648-649, 797, 799-802, 870spp. 670 tenuissimum 648

Viennotidea 305 Volvariella volvacea 849-852, 850f Vuilleminia 65 comedens 64 Wilcoxina 515 Xerocomus 578 Xeromyces bisporus 88 Xylaria longipes 829 Xylariaceae 307, 310 Xylostroma

suaveoleus 558
Zalerion
maritimum 779
Zoophagus
insidians 880–884, 881f, 883f
Zygomycetes 250–251, 622, 648, 707, 843, 859, 885
Zygomycotina 7
Zygorhynchus
macrocarpus 180–182
Zygosaccharomyces 241
Zythiostroma
pinastri 636

#### HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

Abies Ganoderma tsugae 502 Haematostereum sanguinolentum 124 Scytinostroma galactinum 547 Acacia Atelocauda koae 592 Uromyces koae 592 Acer Scytinostroma protrusum subsp. septentrionale 547 Aesculus Meripilus giganteus 614, 620 Alnus Scytinostroma protrusum subsp. protrusum 547 Amelanchier Monilinia amelanchieris 660 Angophora Aulographina eucalypti 462 Arachis Puccinia arachidis 586 Arbutus Acremonium strictum 204 Alternaria alternata 204 Aspergillus clavatus 204 flavus 204 niger 204 Chaetomium globosum 204 Cladosporium cladosporioides 204 Gliocladium roseum 204 Mucor hiemalis 204 racemosus f. racemosus 204 Penicillium canescens 204 citrinum 204 frequentans 204 funiculosum 204 verrucosum 204 Rhizopus stolonifer 204 Sordaria fimicola 204 Trichoderma pseudokoningii 204 Akanthomyces johnsonii 687

Artocarpus

Mycena indica 861

Puccinia coronata f.sp. avenae 117 Akanthomyces johnsonii 687 Betula Ganoderma tsugae 502 Meripilus giganteus 620 Scytinostroma galactinum 547 protrusum subsp. septentrionale 547 Bignoniaceae Chaconia thailandica 261 Boehmeria Pucciniastrum boehmeriae 116 Bromus Tilletia bromi-tectorum 273, 274 guyotiana 273, 274 Scytinostroma protrusum subsp. protrusum 547 Celtis Ganoderma colossum 495 Cephalotaxus Phragmothyrites 16 Chamaecyparis Meripilus giganteus 620 Acremonium strictum 204 Alternaria alternata 204 Aspergillus flavus 204 fumigatus 204 niger 204 versicolor 204 Chaetomium globosum 204 Cladosporium cladosporioides 204 Doratomyces micorsporus 204 Gliocladium roseum 204 virens 204 Mucor hiemalis 204 racemosus f. racemosus 204 Penicillium canescens 204 frequentans 204 funiculosum 204 simplicissimum 204

verrucosum 204 Rhizopus stolonifer 204

Trichoderma pseudokoningii 204

Coffea

Akanthomyces johnsonii 687

Coix

Ustilago coicis 116

Coprosma

Aecidium hupiro 747 Puccinia coprosmae 747 Uredo vulcani 747

Crataegus

Monilinia johnsonii 660

Cryptochironomus

Stachylina reflexa 401

Cynodon

Ustilago cynodontis 116

Cyperus

Acremonium sp. 193 Balansia cyperi 192, 292 Cercospora caricis 418

Dalbergia

Maravalia pterocarpi 261

Danthonia

Atkinsonella hypoxylon 192, 292 Cladosporium oxysporum 193 Coniothyrium sp. 193

Curvularia cymbopogonis 193

Embellisia sp. 193

Dasyhelea Carouxella scalaris 405

Dianthus

Akanthomyces johnsonii 687

Digitaria

Ustilago syntherismae 116

Dilsea

Mycaureola dilseae 808

Echinochloa

Tolyposporium bullatum 116

Ustilago crus-galli 116 sphaerogena 116

Eucalyptus

Aulographina eucalypti 462 Phaeoseptoria eucalypti 462

Euphorbia

Puccinia vitata 590

Fagus

Meripilus giganteus 613

Scytinostroma protrusum subsp. septentrionale 547

Feijoa

Mycosphaerella feijoae 772-773 Pseudocercospora feijoae 772

Festuca

Tilletia fusca 273, 275

Ficus

Ganoderma colossum 495

Gaylussacia

Monilia gaylussaciae 658

Monilinia gaylussaciae 653, 656

Glycine

Dactuliophora glycines 700 Pyrenochaeta glycines 696

Hordeum

Gibberella zeae 892

Puccinia hordei 568

Ustilago hordei 116 nuda 116

Ilex

Mycosphaerella sp. 463

Ipomoea

Akanthomyces johnsonii 687

Juniperus

Scytinostroma galactinum 547

Kalanchoe

Akanthomyces johnsonii 687

Lauraceae

Phragmothyrites 16

Liquidambar

Scytinostroma protrusum subsp. protrusum 547

Lycopersicon

Akanthomyces johnsonii 687

Magnolia

Scytinostroma galactinum 547

Malus

Mucor piriformis 837

Scytinostroma protrusum subsp. protrusum 547

Megachile

Ascosphaera atra 312

Metrosideros

Rigidoporus ulmarius 462

Milletia

Maravalia fusiformis 262 milletiae 262

milletiae 262 milletiicola 262

Neonotonia

Dactuliophora glycines 696, 700

Paederia

Coleosporium paederiae 747

Panicum

Balansia henningsiana 192

Fusarium sp. 193 Gibberella zeae 892

Periconia minutissima 193

Sorosporium formossanum 116

balansia henningsiana 193

Pasnalum

Marasmiellus paspali var. americanus 288

Paulownia

Hymenochaete sp. 393

Pennisetum

Fusarium moniliforme 263

nygamai 264

Gibberella fujikuroi 407

Marasmiellus paspali var. americanus 288

Sphacelotheca pamparum 116

Peperomia

Akanthomyces johnsonii 687

Phoenix

Ganoderma colossum 495

zonatum 494

Graphiola phoenicis 116

Picca

Fomitopsis pinicola 447 Ganoderma tsugae 502

Scytinostroma galactinum 547

Pinus

Dothistroma septospora 462

Endocronartium harknessi 120

Ganoderma meredithae 494	Gymnoconia peckiana 586
Peridermium harknessii 235	Sabal
Scytinostroma galactinum 547 protrusum subsp. septentrionale 547	Ganoderma zonatum 494 Salicornia
Pipturus	Acremonium 176
Botryosphaeria pipturi 460	breve 180
Poa	charticola 180
Tilletia togwatii 275, 284	pteridii 180
Polygonum	rulilum 176
Ustilago urticulosa 116	strictum 180
Populus	Alternaria 176
Melampsora medusae 729	alternata 180
medusae f.sp. deltoidae 731	chlamydospora 180
medusae f.sp. tremuloidae 731	phragmospora 180
Meripilus giganteus 620	raphani 180
Scytinostroma galactinum 547	Arthrinium 176
protrusum subsp. protrusum 547	phaeospermum 180
protrusum subsp. septentrionale 547	Ascochyta 176
Sistotrema populicola 67 Protea	chenopodii 180 Aspergillus 176
Ceratocystiopsis proteae 24	fumigatus 176
Knoxdaviesia proteae 27	Aureobasidium 176
Prunus	Botrytis 176
Monilinia demissa 660	Camarosporium 176
gregaria 660	Chaetomium 176
seaveri 660	Cladosporium 176
Phytophthora syringae 77	cladosporioides 176
Scytinostroma protrusum subsp. protrusum 547	cucumerinum 180
Pseudofagus	herbarum 180
Gnomonia 20	Coniella 176
Pseudotsuga	Coniothyrium 176
Ambrodiscus pseudotsugae 320	Dendryphiella 176
Ganoderma oregonense 494	arenaria 180
tsugae 502	Didymosphaeria 176
Mariannaea clavispora 131	Diplodina 176
Scytinostroma galactinum 547	Doratomyces 176
Pyrus	Drechslera 176
Gymnosporangium asiaticum 117	iridis 180
Mucor piriformis	Epicoccum 176
Quercus	purpurascens 180
Alternaria alternata 204	Fusarium 176
Aspergillus alliaceus 204	nivale 180
clavatus 204	spp. 176
flavus 204	tricinctum 180
fumigatus 204	Gliocladium 176
niger 204	roseum 176
versicolor 204	Gliomastix 176
Cladosporium cladosporioides 204	murorum 176
Gliocladium roseum 204	Hypoxylon 176
Meripilus giganteus 613, 614	Leptosphaeria 176
sumstinei 615, 617	Monodictys 176
Mucor hiemalis 204	Mortierella 176
racemosus f. racemosus 204	Mucor 176
Penicillium chrysogenum 204	spp. 177
citrinum 204	Mycosphaerella 176
frequentans 204	Nectria inventa 177
funiculosum 204	Papulaspora 176
verrucosum 204	Penicillium frequentans 177
Phragmothyrites 16	spp. 176, 177, 180
Rhizopus stolonifer 204	Phoma 176
Scytinostroma protrusum subsp. protrusum 547	glomerata 180
Sordaria fimicola 204	Phomopsis 176
Trichoderma pseudokoningii 204	Pleospora 176
Rubus	bjorlingii 177

salicorniae 177 Protomyces 176 Rhizopus nigricans 180 Scopulariopsis 176 Scytalidium 176 Septoria 176 Stagonospora 176 sp. 180 spp. 177 Stemphylium 176 Trichocladium 176 Trichoderma 176 viride 177 Tubercularia 176 Uromyces 176 Verticillium nigrescens 177 Zygorhynchus macrocarpus 180 Salix Melampsora epitea 116 humilis 116 Meripilus giganteus 620 Sargassum Akanthomyces johnsonii 687 Smilax Phragmothyrites 16 Solanum Verticillium albo-atrum 325 Sorbus Meripilus giganteus 620 Sorghum Fusarium nygamai 264 Glomus etunicatum 338 mosseae 338 Sporobolus Acremonium apii 193 Balansia epichloe 192, 193 Sporothrix sp. 193 Stereospermum Mehtamyces stereospermi 400 Newinia thaiana 399 Stipa Atkinsonella hypoxylon 192, 292 Taxus

Gnomonia 20

Thuja Scytinostroma galactinum 547 Thuiacorticium mirabile 69 Triticum Gibberella zeae 892 Puccinia recondita 568 Tilletia caries 116 Tsuga Amylobasidium tsugae 63 Ganoderma oregenense 494 tsugae 502 Gloiodon occidentale 66 Tremella globospora 481 Ulmus Ganoderma applanatum 447 Ophiostoma ulmi 325 Urginea Uromyces scillarum 568 Vaccinium Chalara vaccinii 875 Diaporthe vaccinii 308 Elsinoe vaccinii 464 Monilinia vaccinii-corymbosi 653 Mycosphaerella sp. 463 Pucciniastrum vaccinii 464 Septoria albo-punctata 464 diformis 464 longispora 464 sheareana 464 sp. 463 stemmatea 464 vaccini-uliginosi 464 vaccinii 464 Synchronoblastia crypta 344 Wikstroemia Melampsora yoshinagai 749 Pucciniastrum wikstroemiae 748 Zea Fusarium graminearum 679 Gibberella zea 679 zeac 892 Marasmiellus paspali var. americanus 287 Ustilago maydis 116

## TABLE OF CONTENTS

No. 1 January-February 1988 Issued 23 February 1988

Lessons from Alpine fungi

1 J. M. Trappe

R. Gordon Wasson - 1898-1986

11 D. H. Pfister

Fossil leaf-inhabiting fungi from northern Idaho and their ecological significance

14 M. Sherwood-Pike and J. Gray

Ceratocystiopsis proteae sp. nov., with a new anamorph genus

23 M. J. Wingfield, P. S. Van Wyk, and W. F. O. Marasas

In vitro hyphal interactions among wood- and leaf-inhabiting ascomycetes and fungi imperfecti from freshwater habitats

31 C. A. Shearer and H. Zare-Maivan

Lipids as bioregulators of teliospore germination and sporidial formation in the wheat bunt fungi, Tilletia species

38 E. J. Trione and W. D. Ross

James W. Sinden Scholarship

45

Notes on neotropical Austroboletus species

46 C. B. Wolfe, Jr., R. Singer, and R. Walsh

Changes in the concentrations of total fatty acids, soluble proteins, nitrogen and phosphatase activities in mycelia of *Endogone pisiformis* (Endogonaceae) during growth

54 S. Jabaji-Hare, M. F. Tremblay, and S. Parent

New genera and species of lignicolous Aphyllophorales

63 J. Ginns

Studies in the genus *Phellinus*. I. The identity of *Phellinus rickii* with notes on its facultative synonyms 72 M. J. Larsen and F. F. Lombard

The effect of temperature and type of medium on oospore production by *Phytophthora syringae* 77 M. A. Doster and R. M. Bostock

Two new species of xerophilic fungi and a further record of Eurotium halophilicum

82 A. D. Hocking and J. I. Pitt

The influence of carbohydrate source and concentration and light on fruitbody development in Clavicorona pyxidata

89 S. W. James and D. J. McLaughlin

Early basidiospore formation in Lactarius lignyotellus

99 S. L. Miller

#### **Brief Articles**

A medium for enhancement of chlamydospore formation in Fusarium species

108 L. V. Klotz, P. E. Nelson, and T. A. Toussoun

Use of colloidal silica solution in the isolation of spores of Glomus mosseae 109 S. D. Verkade

Notes on Limacella illinita in pure culture

111 L. J. Hutchison

Ubiquinone systems in fungi. II. Distribution of ubiquinones in smut and rust fungi

115 J. Sugiyama, M. Itoh, Y. Katayama, Y. Yamaoka, K. Ando, M. Kakishima, and H. Kuraishi

Axenic culture of Endocronartium harknessii

120 E. A. Allen, P. V. Blenis, and Y. Hiratsuka

Electrical resistance and wood decay by white rot fungi

124 K. T. Smith and W. C. Shortle

Leotiales, a name to replace Helotiales (Ascomycotina)

127 S. E. Carpenter

A new species of Mariannaea from California

131 R. A. Samson and W. L. Bigg

Effects of pentachlorophenol on aquatic hyphomycetes

135 F. Bärlocher and P. D. Premdas

138 Instructions to Authors

No. 2 March-April 1988 Issued 15 April 1988

Protoplast preparation and fusion in two biocontrol strains of Trichoderma harzianum

141 T. E. Stasz, G. E. Harman, and N. F. Weeden

Spore-to-spore cultivation of Didymium iridis on heat-killed bacteria

151 M. E. Silliker, T. Gong, and O. R. Collins

Effect of storage of inoculum on spore germination of a tropical isolate of *Glomus clarum* 157 I. Louis and G. Lim

Effects of triazoles on fungi, VI. Ultrastructure of Taphrina deformans

162 M. Sanchoile, R. Dargent, J. D. Weete, A. E. Rushing, K. S. Miller, and C. Montant

Life strategies among fungal assemblages on Salicornia europaea aggregate

176 T. Booth, S. Gorrie, and T. M. Muhsin

Atkinsonella hypoxylon and Balansia cyperi, epiphytic members of the Balansiae

192 A. Leuchtmann and K. Clay

Seasonal fluctuation of non-parasitic mycoflora associated with living leaves of Cistus incanus, Arbutus unedo and Quercus coccifera

200 E. Vardavakis

Seasonal variation in spore abundance and dormancy of Gigaspora gigantea and in mycorrhizal inoculum potential of a dune soil

211 J. N. Gemma and R. E. Koske

Typification of Cordyceps canadensis and C. capitata, and a new species, C. longisegmentis 217 J. Ginns

Contribution toward a monograph of Ramaria. VII. New taxa and miscellany 223 R. H. Petersen

Nuclear division in germinating aeciospores and its taxonomic significance for the western gall rust fungus, Peridermium harknessii

235 L. Epstein and M. B. Buurlage

**Brief Articles** 

Deoxyribonucleic acid relatedness among species of Saccharomyces sensu lato

241 A. Vaughan Martini and C. P. Kurtzman

Stephanoascus farinosus, teleomorph of Sporothrix fungorum

244 J. A. Traquair, L. A. Shaw, and W. R. Jarvis

A rapid method for extraction of membrane-plate grown fungal cultures

247 G. D. May and W. W. Lilly

Techniques for anaerobic growth of zygomycetes

249 F. H. Gleason and G. L. R. Gordon

The identity and metabolic fate of volatiles responsible for the odor of *Hydnellum suaveolens* 252 W. F. Wood, D. A. DeShazer, and D. L. Largent

Section Liseola of Fusarium

255 J. J. Ellis

Determining viability of endogonaceous spores with a vital stain

259 Z.-Q. An and J. W. Hendrix

Two new species of Uredinales from Thailand

261 Y. Ono, M. Kakishima, P. Lohsomboon, L. Manoch, and N. Visarathnonth

Fusarium nygamai from millet in southern Africa

263 W. F. O. Marasas, C. J. Rabie, A. Lubben, P. E. Nelson, T. A. Toussoun, and P. S. van Wyk

**Book Reviews** 

267

### No. 3 May-June 1988 Issued 13 June 1988

Tilletia togwatii, a new bunt species from Poa reflexa

273 M. K. Guilletaette

Marasmiellus paspali var, americanus, the causal agent of "borde blanco" disease of maize in Latin America

S. A. Redhead and F. M. Latterell

Experimental infection of host grasses and sedges with Atkinsonella hypoxylon and Balansia cyperi (Balansiae, Clavicipitaceae)

A. Leuchtmann and K. Clay

A scanning electron microscopic study of ascoma development in Chaetomium malaysiense 298 M. J. Figueras and J. Guarro

Conidial nuclei in three species of Diatrypaceae and Diaporthe vaccinii 307 K. A. Jacobs, D. A. Glawe, and L. E. Gray

Cytological development of Ascosphaera atra

312 L. P. Kish, N. A. Bowers, G. L. Benny, and J. W. Kimbrough

Ambrodiscus, a new genus of inoperculate discomycetes from ambrosia beetle galleries

320 S. E. Carpenter

Ultrastructural localization of carbohydrates in the cell walls of two pathogenic fungi: a comparative

324 N. Benhamou

Suppression of mycorrhizal growth response of big bluestem by non-sterile soil

338 G. W. T. Wilson, B. A. Daniels Hetrick, and D. Gerschefske Kitt

Synchronoblastia crypta, a new coelomycetous pathogen of upright stems and fruits of cranberry 344 F. A. Uecker and F. L. Caruso

Relationship of cell surface hydrophobicity to morphology of monomorphic and dimorphic fungi 348 B. W. Hazen, R. E. Liebert, and K. C. Hazen

Ultrastructure of freeze-substituted and chemically fixed basidiospores of Gymnosporangium juniperi-virginianae

356 C. W. Mims, R. W. Roberson, and E. A. Richardson

Extracellular enzyme production and cell wall degradation by freshwater lignicolous fungi 365 H. Zare-Maivan and C. A. Shearer

Interactive effects of inoculum density, agitation, and pH on dimorphism in a salt marsh isolate of Aureobasidium pullulans

376 S. Vinroot and A. P. Torzilli

Structural characterization of Fuscoboletinus and Suillus ectomycorrhizae synthesized on Larix laricina

382 J. Samson and J. A. Fortin

Sporulation in agar culture of one isolate of Hymenochaete from a declining Paulownia tree in Paraguay

Newinia thaiana, a new rust fungus from Thailand

397 M. Kakishima, P. Lohsomboon, Y. Ono, L. Manoch, and N. Visarathanonth

Discovery of sexual reproduction in an unusual new species of Stachylina (Trichomycetes)

400 R. W. Lichtwardt and M. C. Williams

Further studies on conversion from non-heterothallism to heterothallism in Stemonitis flavogenita (Myxomycetes, Stemonitales)

405 O. R. Collins, and H.-C. Tang

Reclassification of two important moniliformin-producing strains of Fusarium, NRRL 6022 and NRRL 6322

407 W. F. O. Marasas, P. E. Nelson, and T. A. Toussoun

Acervulus initiation in Colletotrichum capsici

410 J. M. Maiello

A new species of Persiciospora from African soil

414 J. C. Krug

Cercospora caricis from Cyperus esculentus (yellow nutsedge): morphology and cercosporin production

418 C. L. Blaney, C. G. Van Dyke, and L. F. Grand

No. 4 July-August 1988 Issued 15 August 1988

Cytochemical localization of carbohydrates in zoospores of Saprolegnia ferax

423 L. P. Lehnen, Jr. and M. J. Powell

Topographic and fire effects on the composition and abundance of VA-mycorrhizal fungi in tallgrass prairie

433 D. J. Gibson and B. A. Daniels Hetrick

Endophyte-host associations in forage grasses. XI. A proposal concerning origin and evolution 442 J. F. White, Jr.

Hyphal deterioration in Ganoderma applanatum

447 E. C. Setliff

Vacuole induction by nicotine in teliospores of Uromyces vignae, Puccinia punctiformis, and Puccinia helianthi

455 R. C. French

Hawaiian forest fungi. IX. Botryosphaeria pipturi sp. nov. and miscellaneous records 460 D. E. Gardner and C. S. Hodges, Jr.

Estimation of relatedness between Phytophthora species by analysis of mitochondrial DNA

466 H. Förster, T. G. Kinscherf, S. A. Leong, and D. P. Maxwell

Ultrastructural studies of mitosis and the septal pore apparatus in Tremella globospora 479 M. L. Berbee and K. Wells

Basidiospores, pilocystidia, and other basidiocarp characters in several species of the Ganoderma lucidum complex

493 J. E. Adaskaveg and R. L. Gilbertson

Three new species of Rhodocybe from Costa Rica

508 C. L. Ovrebo and T. J. Baroni

Paratrichophaea (Pezizales) in North America

515 D. H. Pfister

Scutellospora dipurpurescens, a new species in the Endogonaceae from West Virginia

520 J. B. Morton and R. E. Koske

The trophic cells of Clastostelium recurvatum, a third member of the myxomycete-like protostelids 525 F. W. Spiegel and J. Feldman

Corticolous myxomycetes. X: Ultrastructure and taxonomic status of Cribraria minutissima and C. confusa
536 H. W. Keller, U. H. Eliasson, K. L. Braun, and M. J. Buben-Zurey

Scytinostroma galactinum species complex in the United States

546 K. K. Nakasone and J. A. Micales

Rhodosporidium fluviale sp. nov., a homokaryotic red yeast from a subtropical brackish environment 560 J. W. Fell, C. P. Kurtzman, A. S. Tallman, and J. D. Buck

#### **Brief Articles**

Selection of a vesicular-arbuscular mycorrhizal fungus for practical inoculation of Uniola paniculata 565 D. M. Sylvia and J. N. Burks

Water potential as a regulating factor in teliospore germination of three rust fungi 568 Y. Anikster

Notes on clavarioid fungi. XXII. Three interesting South American collections

571 R. H. Petersen

An oxidative blue-bruising reaction in Alpova diplophloeus (Basidiomycetes, Rhizopogonaceae) + Alnus rubra ectomycorrhizae

576 S. L. Miller, C. D. Koo, and R. Molina

Representative hyphomycetes have regions of DNA homologous to Aspergillus nidulans developmental genes

582 E. J. Mullaney and M. A. Klich

Specimen orientation for transmission electron microscopic-studies of fungal germ tubes and appressoria on artificial membranes and leaf surfaces C. W. Mims, E. A. Richardson, and J. Taylor

Teliospore germination of Puccinia vitata, an endemic Hawaiian rust 590 D. E. Gardner

> No. 5 September-October 1988 Issued 14 October 1988

Howard E. Bigelow, 1923-1987

595 M. E. Barr

Kenneth Bryan Raper, 1908-1987

599 J. C. Cavender, E. H. Newcomb, and M. Christensen

Irene Mounce, 1894-1987

607 J. Ginns

Kenneth E. Papa, 1931-1986

609 R. T. Hanlin and H. B. Howe, Jr.

The status of Meripilus giganteus (Aphyllophorales, Polyporaceae) in North America

612 M. J. Larsen and F. F. Lombard

Lipid and fatty acid profiles of some vesicular-arbuscular mycorrhizal fungi: contribution to taxonomy

622 S. Jabaii-Hare

660 L. R. Batra

Ultrastructure of the flagellar apparatus of the slime mold Semimorula liquescens

630 E. F. Haskins and M. D. McGuinness

Evolutionary aspects of ascospore and conidium ontogeny in Scoleconectria cucurbitula

636 D. A. Glawe and K. A. Jacobs

A mycofloral survey of an artesian community within the Edwards Aquifer of central Texas

646 K. A. Kuehn and R. D. Koehn Monilinia gaylussaciae, a new species pathogenic to huckleberries (Gaylussacia) in North America

653 L. R. Batra Disjunctors in Monilinia (Discomycetidae: Sclerotiniaceae) and their significance in classification

Comparative protein studies of several Pythium species using isoelectric focusing 665 J. E. Adaskaveg, M. E. Stanghellini, R. L. Gilbertson, and N. B. Egen

Effects of the pyridazinone herbicide Sandoz 6706 (metflurazon) on pigmentation of fungi

673 M. A. Vincent and M. J. Powell

Ascospore polymorphism in Gibberella zeae

679 J. M. Headrick, D. A. Glawe, and J. K. Pataky

Akanthomyces johnsonii, a saprophytic synnematous hyphomycete

685 M. A. Vincent, K. A. Seifert, and R. A. Samson

Extracellular laccases: Biochemical markers for Agaricus systematics

689 R. W. Kerrigan and I. K. Ross

Dactuliochaeta, a new genus for the fungus causing red leaf blotch of soybeans

696 G. L. Hartman and J. B. Sinclair

The effect of calcium on mycelial growth and calcium oxalate crystal formation in Gilbertella persicaria (Mucorales)

K. D. Whitney and H. J. Arnott

The effects of sterol biosynthesis inhibitors on cleavage in Allomyces macrogynus

716 M. S. Fuller and R. W. Roberson

1982 Pennsylvania Foray Portrait

725 W. B. Cooke

#### **Brief Articles**

Extracellular enzyme production in species of the genus Penicillium

726 M. Petruccioli, F. Federici, and M. W. Miller

Evidence for formae speciales in the poplar leaf rust fungus, Melampsora medusae 729 L. Shain

Contamination of aqueous glycerol solution by Cladosporium cladosporioides 732 A. J. Meyers, Jr.

Lesser known species in section Liseola of Fusarium and near relatives in the Fusarium oxysporum

734 J. J. Ellis

Apiocamarops cryptocellula, a new species from Guyana

738 J. D. Rogers and G. J. Samuels

Chemotaxonomic study of orellanine in species of Cortinarius and Dermocybe

741 S. Rapior, C. Andary, and G. Privat

Revisions to endemic Hawaiian rusts

747 D. E. Gardner

Mold inoculum from cheek pouches of a granivorous desert rodent, Dipodomys spectabilis

750 D. T. Wicklow and C. Rebar

Direct VA mycorrhizal inoculation of colonizing plants by pocket gophers (*Thomomys talpoides*) on Mount St. Helens

754 M. F. Allen and J. A. MacMahon

Rhombostilbella parasitizing Chaetothyriaceae and Capnodiaceae

757 B. R. Pohlad

**Book Reviews** 

760

Briefly Noted

No. 6 November-December 1988 Issued 25 January 1989

Vincent W. Cochrane, 1916-1987

763 B. J. Cochrane

Bland Symington Montenecourt, 1942-1987

767 K. Gottlund and D. E. Eveleigh

Pseudocercospora feijoae sp. nov. causing a leaf spot disease on Feijoa sellowiana in Florida 769 N. E. El-Gholl, S. A. Alfieri, Jr., T. S. Schubert, and C. L. Schoulties

Hydrocarbon degradation by filamentous marine higher fungi

776 P. W. Kirk and A. S. Gordon

Sites of calcium concentration during sexual reproduction of Achlya ambisexualis

783 J. L. Cooper-Palomar and M. J. Powell

Prevalence and toxigenicity of Fusarium species from soils of Norway near the Arctic Circle 790 T. Kommedahl, H. K. Abbas, P. M. Burnes, and C. J. Mirocha

Competitive interactions and ecological strategies of *Trichoderma* species colonizing spruce litter 795 P. Widden and V. Scattolin

Sporulation of the basidiomycete *Pachnocybe ferruginea* in terrestrial and aquatic environments 804 N. L. Kleven and D. J. McLaughlin

Culturing the lichens Lobaria oregana and L. pulmonaria on nylon monofilament 811 W. C. Denison

Distribution of Fusarium species in sections Roseum, Arthrosporiella, Gibbosum and Discolor recovered from grassland, pasture and pine nursery soils of eastern Australia

815 L. W. Burgess, P. E. Nelson, T. A. Toussoun, and G. A. Forbes

Nonlinear asci without apical pores in the peak mutant of Neurospora

825 N. B. Raju

Lathraeodiscus arcticus gen. nov., sp. nov. (order Pezizales), a new discomycete from North Greenland and Svalbard

832 H. Dissing and S. Sivertsen

Germination of zygospores of Mucor piriformis (on the life history of Mucor piriformis)

837 T. J. Michailides and R. A. Spotts

#### Brief Articles

Ecto- and ectendomycorrhizae in the tropical dipterocarp. Shorea parvifolia 845 L Louis

A new double-stranded RNA virus from Volvariella volvacea 849 K. Chen, P. Liang, M. Yu, and S. T. Chang

Miss Gulielma Lister's observations on the myxomycete Echinostelium minutum

853 E. F. Haskins

Reassessment of fungal dry weight as a measure of carbon source utilization by Pisolithus tinctorius 855 W. A. Taber and R. A. Taber

Reports of cyanogenesis in selected basidiomycetes

859 W. R. Estes, IV, J. E. Ebinger, W. C. Whiteside, A. S. Methven, and D. S. Seigler

Mycena indica, a new species from southern India

861 P. Manimohan and K. M. Leelavathy

Inheritance of some genetic markers in Cochliobolus sativus

863 R. D. Tinline and H. Harding

Notes on Clavariadelphus, II. Clavariadelphus fasciculatus sp. nov. from Mexico

866 A. S. Methven and G. Guzmán

Methods of isozyme electrophoresis for Trichoderma and Gliocladium species

870 T. E. Stasz, N. F. Weeden, and G. E. Harman

Chalara vaccinii sp. nov., a Vaccinium endophyte

875 L. M. Carris

Capture of rotifers by Acaulopage pectospora, and further evidence of its similarity to Zoophagus insidians

880 M. Saikawa, K. Yamaguchi, and C. Morikawa

The Chlamydospore in Fusarium solani

885 A. S. El-Ani

Basidiomycetes reduce export of organic matter from forest slopes

888 D. J. Lodge and C. E. Asbury

Leptolegnia ornata: A superfluous name for the mosquito pathogen Leptolegnia chapmanii 891 R. L. Seymour

Chemotaxonomic observations on zearalenone and trichothecene production by Gibberella zeae from cereals in southern Italy

892 A. Logrieco, A. Bottalico, and C. Altomare

Forest litter hyphomycetes from Andhra Pradesh, India. III. A new synnematous hyphomycete 896 N. Krishna Rao, C. Manoharachary, and R. D. Goos

Changes in lipid composition during ascocarp development of the truffle, Tuber melanosporum 900 M. Sancholle, J. D. Weete, M. Kulifaj, and C. Montant

Cortinarius stuntzii sp. nov. (Agaricales, Cortinariaceae), from Salix communities in eastern Washington

903 S. A. Rehner, J. F. Ammirati, and G. J. Mueller

Erratum

906

**Book Reviews** 

907

Notice

910

Index

912

## PUBLICATION DATES

Issues for Volume 79, 1987, were published on the dates indicated.

79(1): 13 February 1987

79(2): 15 April 1987 79(3): 15 June 1987

79(4): 25 August 1987 79(5): 29 October 1987

79(6): 19 January 1988

